

SPARE PARTS CATALOG

Bulk containers



Reliable, no matter where.



The LAG Spare Parts catalog is a comprehensive range of all-make trailer parts and workshop consumables. Developed by LAG trailers NV, it's available through the European LAG dealer network.

LAG offers an extensive range of parts for all their build trailers but also for all other trailer brands, and a market-leading selection of consumables. All products are OE and OE quality ensuring the best for your vehicle. The entire range of LAG products can be found and easily identified in our quick reference catalogues.

By offering a comprehensive range in one place means you can reduce your supplier base and associated costs. After all different suppliers mean different admin systems - which means extra cost and hassle for you.

Once you have identified the part(s) you require, simply call, email or visit your local LAG dealer. You'll find your local branch on the following pages or on our website. Each has a broad range of parts and consumables in stock, and any not immediately available will, in the vast majority of cases, be available through the LAG parts express delivery system.

We choose only products that meet our stringent standards of both quality and durability, and back them all with standard LAG warranty terms and conditions.

Whether you carry out your own fleet maintenance, or it's conducted by your local LAG dealer, the LAG program can save you time and money, maximizing the uptime of your fleet whilst reducing the overall cost of your operation. The range is constantly being expanded, so you will always find what you need.

LAG spare-parts catalog is just one of the programs that LAG offer to support your business. Your local dealer is your one-stop partner for your transport solutions. Under one roof you will find professionals who can help you.

LAG Reliable, no matter where

Table Of Contents




SPARE PARTS CATALOG 1


 FOREWORD 2



 (empty) 4


ORDER FORM 65

SPARE PART DEALERS 68


	Article	Description
	28M0J0009B	OPHANGING SPATBORDEN OMEGA - ROESTVRIJSTAAL SUSPENSION MUDGUARDS OMEGA - STAINLESS STEEL FEDERUNG SCHUTZBLECH OMEGA - EDELSTAHL GARDE-BOUE A SUSPENSION OMEGA - ACIER INOXYDABLE
	28M2J0042A	RING AARDINGSHASPEL GROUNDING REEL RING ERDUNGSSPULE-RING BAGUE DE BOBINE DE MISE À LA TERRE
	28M3LS025A	ANKER BEVESTIGING TIR-KABEL TIR CABLE ATTACHMENT ANCHOR TIR KABEL BEFESTIGUNG ANKER ANCRAGE DE FIXATION DE CÂBLE TIR
	28M3LS026A	DRAADSTUK BEVESTIGING TIRKABEL TIR CABLE THREAD ATTACHMENT TIR KABEL GEWINDE BEFESTIGUNG ATTACHEMENT DE CÂBLE TIR
	28M3P0057A	FLENS ROESTVRIJSTAAL D174XD109 / D100 X S150 X 8X D11 X 10 FLANGE STAINLESS STEEL D174XD109 / D100 X S150 X 8X D11 X 10 FLANSCH EDELSTAHL D174XD109 / D100 X S150 X 8X D11 X 10 BRIDE ACIER INOXYDABLE D174XD109 / D100 X S150 X 8X D11 X 10
	28M6L0042A	ZESKANT ROESTVRIJSTAAL [1.4301] / M24 X 30 SLW46 SIX-SIDED STAINLESS STEEL [1.4301] / M24 X 30 SLW46 SECHSSEITIG EDELSTAHL [1.4301] / M24 X 30 SLW46 ACIER INOXYDABLE À SIX RAYONS [1.4301] / M24 X 30 SLW46
	57PLD094	SLANG-KOMPRESSOR;NW50,MET KOPPELINGEN, L=1170MM TEMPERATUURBEREIK : -40 tot 140°C , 3 BAR HOSE-COMPRESSOR;NW50,WITH COUPLINGS, L=1170MM TEMPERATURE RANGE : -40 to 140°C , 3 BAR SCHLAUCH-KOMPRESSOR;NW50,MIT KUPPLUNGEN, L=1170MM TEMPERATURBEREICH : -40 bis 140°C , 3 BAR TUYAU-COMPRESSEUR;NW50,AVEC RACCORDS, L=1170MM GAMME DE TEMPÉRATURE : -40 à 140°C , 3 BAR



	Article	Description
	63JOD004	MANIVELHOUDER LG=115 JOST JS E0040200 SWIVEL STOOL HOLDER LG = 115 JOST JS E0040200 DREHHOCKER-HALTERUNG LG = 115 JOST JS E0040200 PORTE-TUBE PIVOTANT LG = 115 JOST JS E0040200
	63JOD019	VERBINDINGSSTANG JOST MODUL B L04 - LG=1500 CONNECTING ROD JOST MODUL B L04-LG = 1500 PLEUEL JOST MODUL B L04-LG = 1500 TRINGLE DE RACCORDEMENT JOST MODUL B L04-LG = 1500
	63JOD031	MANIVELHOUDER LG=215 JOST SWIVEL STOOL HOLDER LG = 215 JOST DREHHOCKER-HALTERUNG LG = 215 JOST SUPPORT MANIVELLE LG = 215 JOST
	66ARD006	AARDINGSPEN DIAMETER 12 X 70 GROUNDING PIN DIAMETER 12 X 70 ERDUNGSANSCHLUSS DURCHMESSER 12 X 70 DIAMÈTRE DE GOUPILLE DE MISE À LA TERRE 12 X 70
	66ARD009	AARDKABELHASPEL INCL. KLEM MET OPSPOELREM (15 METER) GROUNDING CABLE REEL INCL. CLAMP WITH SPOOLER BRAKE (15 METRES) ERDUNGSKABEL REEL INKL. KLEMME MIT SPOOLER-BREMSE (15 METER) BOBINE DE CÂBLE DE MISE À LA TERRE INCL. PINCE AVEC FREIN SPOOLER (15 MÈTRES)
	67ADR015	ADR INOX CIJFERSET 39-DELIG (INCL. ETUI 135X93,5) ADR STAINLESS STEEL FIGURE SET 39-PIECE (INCL. ETUI 135X93.5) ADR EDELSTAHL FIGUR SET 39-TEILE (INKL. ETUI 135X93.5) ADR ACIER INOXYDABLE FIGURE ENSEMBLE 39 PIECES (Y COMPRIS ETUI 135X93.5)
	67ADR018	ADR-BORDSLEDE, MULTI PLAATH., BEUGEL+SLOT-CLIP ADR-SIGN CARRIAGE, MULTI PLATE HOLDER, BRACKET + SLOT-CLIP ADR-SCHILD WAGEN, MULT-PLATTENHALTER, HALTERUNG + SLOT-CLIP "SIGNAUX ADR, REMORQUE, SUPPORT MULTI PLAQUES, SUPPORT + FENTE-CLIP"







	Article	Description
	67ADR020	ADR INOX BORD, MET MONTAGEPLAAT ADR STAINLESS STEEL SIGN, WITH MOUNTING PLATE ADR EDELSTAHL SCHILD, MIT MONTAGEPLATTE SIGNAUX ADR ACIER INOXYDABLE AVEC PLAQUE DE MONTAGE
	67ADR021	GEVARENETIKET, KLASSE 3 EN 5.1, ALU DR, DUBZIJDIG (300X300X2MM) HAZARD LABEL, CLASS 3 AND 5.1, ALUMINIUM DOUBLE-SIDED (300X300X2MM) GEFAHRENKENNZEICHNUNG, KLASSE 3 UND 5.1, ALUMINIUM DOPPELSEITIG (300X300X2MM) ÉTIQUETTE DE DANGER, CLASSE 3 ET 5.1, ALUMINIUM DOUBLE FACE (300X300X2MM)
	67ADR024	GEVARENETIKET, KLASSE 4.1, ALUMINIUM DR, ENKZIJDIG (300X300X2MM) HAZARD LABEL, CLASS 4.1, ALUMINIUM, SINGLE-SIDED (300X300X2MM) GEFAHRENKENNZEICHNUNG, KLASSE 4.1, ALUMINIUM, EINSEITIG (300X300X2MM) ÉTIQUETTE DE DANGER, CLASSE 4.1, ALUMINIUM, SIMPLE (300X300X2MM)
	67ADR027	GEVARENETIKET, KLASSE 8, ALUMINIUM DR, ENKZIJDIG (300X300X2MM) HAZARD LABEL, CLASS 8, ALUMINIUM, SINGLE-SIDED (300X300X2MM) GEFAHRENKENNZEICHNUNG, KLASSE 8, ALUMINIUM, EINSEITIG (300X300X2MM) ÉTIQUETTE DE DANGER, CLASSE 8, ALUMINIUM, SIMPLE (300X300X2MM)
	67ADR028	GEVARENETIKET, KLASSE 9, ALUMINIUM DR, ENKZIJDIG (300X300X2MM) HAZARD LABEL, CLASS 9, ALUMINIUM, SINGLE-SIDED (300X300X2MM) GEFAHRENKENNZEICHNUNG, KLASSE 9, ALUMINIUM, EINSEITIG (300X300X2MM) ÉTIQUETTE DE DANGER, CLASSE 9, ALUMINIUM, SIMPLE (300X300X2MM)
	67ADR042	A-BORD Klapbaar, wit met zwarte A - Bender A-SIGN FOLDING, WHITE WITH BLACK BACKGROUND - BENDER A-SCHILD FALTBAR, WEIß MIT SCHWARZEM HINTERGRUND - BENDER SIGNE A PLIANT, BLANC AVEC FOND NOIR - BENDER
	67ADR080	SLEDE GEVARENETIKET ADR UNIV. ROESTVRIJSTAAL - VERDR.CLIP (300X300X0,8MM) CARRIAGE HAZARD LABEL ADR UNIV. STAINLESS STEEL - VERDR.CLIP (300X300X0,8MM) WAGEN GEFAHRENKENNZEICHNUNG ADR UNIV. EDELSTAHL - VERDR.CLIP (300X300X0,8MM) ÉTIQUETTE DE DANGER DE TRANSPORT ADR UNIV. ACIER INOXYDABLE - VERDR.CLIP (300X300X0,8MM)

	Article	Description
	67ADR094	GEV.ETIKET, MILIEUGEVAARLIJK,300X300X2,ZW/WIT HAZARD LABEL, ENVIRONMENTAL HAZARD, 300X300X2, BLACK/WHITE GEFAHRENKENNZEICHNUNG, UMWELTGEFÄHRDUNG, 300X300X2, SCHWARZ/WEIß ÉTIQUETTE DE DANGER, DANGER POUR L'ENVIRONNEMENT, 300X300X2, NOIR / BLANC
	67DOK001	DOCUMENTHOUDER,DIA=75MM,L=350,GRIJS (ONBRANDBAAR EN WATERDICHT) DOCUMENT HOLDER, DIAMETER 75MM / LENGTH 350, GREY (NON-FLAMMABLE AND WATERPROOF) DOKUMENTENHALTER, DURCHMESSER 75MM / LÄNGE 350, GRAU (NICHT BRENNBAR UND WASSERDICHT) PORTE-DOCUMENTS, DIAMÈTRE 75MM / LONGUEUR 350, GRIS (ININFLAMMABLE ET IMPERMÉABLE)
	67DOK002	DOCUMENTHOUDER, WATERDICHT MET KETTING EN BRANDVRIJ (DIAMETER=100MM, LENGTE =350, GRIJS, ADR) DOCUMENT HOLDER, WATERPROOF WITH CHAIN AND NON-FLAMMABLE (DIAMETER = 100MM, LENGTH = 350, GREY, ADR) DOKUMENTENHALTER, WASSERDICHT MIT KETTE UND NICHT BRENNBAR (DURCHMESSER = 100MM, LÄNGE = 350, GRAU, ADR) PORTE-DOCUMENTS, IMPERMÉABLE AVEC CHAÎNE ET ININFLAMMABLE (DIAMÈTRE = 100MM, LONGUEUR = 350, GRIS, ADR)
	67DOK003	DOCUMENTHOUDER,DIAMETER=125MM,L=345,ZWART MET KETTING DOCUMENT HOLDER, DIAMETER = 125MM, LENGTH = 345, BLACK WITH CHAIN DOKUMENTENHALTER, DURCHMESSER = 125MM, LÄNGE = 345, SCHWARZ MIT KETTE PORTE-DOCUMENTS, DIAMETRE = 125MM, LONGUEUR = 345, NOIR AVEC CHAÎNE
	67DOK004	DOCUMENTKOFFER, FICHET, TYPE RIMBOX 300 DOCUMENT CASE, FICHET, RIM BOX TYPE 300 DOKUMENTENTASCHE, FICHET, FELGE BOX TYP 300 DOCUMENT CASE, FICHET, RIM BOX TYPE 300
	67SBK044	SPATBORD PARLOK, KUNSTSTOF B:405 R:635 SP:1270 H:595 FENDER PARLOK, PLASTIC B:405 R:635 SP: 1270 H:595 FENDER PARLOK, KUNSTSTOFF B:405 R:635 SP: 1270 H:595 FENDER PARLOK, PLASTIC B:405 R:635 SP: 1270 H:595
	67SLP017	SPATLAP NATUR/SBR HOOGTE=400 BREEDTE=400 DIKTE=7 LAG LOGO (ZONDER ANTI SPRAY!) MUDGUARD NATURAL/SBR HEIGHT=400 WIDTH=400 THICKNESS=7 (TYPE LAG) KOTFLÜGEL NATUR/SBR HÖHE=400 BREITE=400 THICKNESS=7 (TYP LAG) GARDE-BOUE NATUREL/SBR HAUTEUR = 400 LARGEUR = 400 EPAISSEUR = 7 (TYPE LAG)


	Article	Description
	67STI024	STICKER AARDING - DRIEHOEKIG, GEEL-ZWART STICKER GROUNDING - TRIANGULAR, YELLOW-BLACK AUFKLEBER ERDUNG - DREIECKIG, GELB-SCHWARZ AUTOCOLLANT MISE À LA TERRE - TRIANGULAIRE, JAUNE-NOIR
	67STI054	STICKER "HOOGTE X BREEDTE: 2,67X2,55" - FOLIE 200 X 150 MM STICKER HEIGHT X WIDTH: 2.67X2.55" - FOIL 200 X 150 MM AUFKLEBER HÖHE X BREITE: 2.67X2.55" - FOLIE 200 X 150 MM AUTOCOLLANT HAUTEUR X LARGEUR: 2.67X2.55 " - PELICULE 200 X 150 MM
	67STI056	STICKER "BLIKSEMSCHICHT" STICKER 'LIGHTNING FLASH' AUFKLEBER 'LIGHTNING FLASS' AUTOCOLLANT "ÉCLAIRAGE"
	67STI059	STICKER,"ONLY TIGHTEN MANHOLE LOCK BY HAND" (150X150MM) STICKER, "ONLY TIGHTEN MANHOLE LOCK BY HAND" (150X150MM) AUFKLEBER "NUR ANZIEHEN SCHACHT SPERRE PER HAND" (150X150MM) AUTOCOLLANT, « NE SERRER QUE LOCK DE TROU D'HOMME DE MAIN » (150X150MM)
	67STI064	STICKER "WORKING PRESSURE 2 BAR" STICKER 'WORKING PRESSURE 2 BAR' AUFKLEBER 'WORKING PRESSURE 2 BAR' AUTOCOLLANT 'WORKING PRESSURE 2 BAR'
	67STI065	STICKER,"SUPER HEAVY" - FOLIE DRIEHOEK L=310 STICKER, 'SUPER HEAVY' - FOIL TRIANGLE L=310 MM AUFKLEBER, 'SUPER HEAVY' - FOLIE DREIECK L=310 MM AUTOCOLLANT, 'SUPER HEAVY' - PELICULE TRIANGLE L = 310 MM
	67STI067	STICKER "ONLY EMPTY LIFTING" - FOLIE 150 X 150 MM STICKER 'ONLY EMPTY LIFTING' - FOIL 150 X 150 MM AUFKLEBER 'NUR LEERES HEBEN' - FOLIE 150 X 150 MM AUTOCOLLANT 'ONLY EMPTY LIFTING' - FEUILLE 150 X 150 MM




	Article	Description
	67STI077	STICKER,"DOCUMENTS"
		STICKER,"DOCUMENTS"
		AUFKLEBER „DOCUMENTS“
		AUTOCOLLANT,"DOCUMENTS"
	67STI207	STICKER,"VERBODEN MET HEFTRUCK TE TILLEN"
		STICKER, "FORBIDDEN WITH FORKLIFT TO LIFT"
		AUFKLEBER "VERBOTEN MIT GABELSTAPLER ZUM LIFT"
		AUTOCOLLANT, « INTERDIT AVEC CHARIOT ÉLEVATEUR LIFT »
	67STI433	STICKER, MILIEUGEVAARLIJK 300 X 300 ZWART/WIT
		STICKER, ENVIRONMENTAL HAZARD 300 X 300 BLACK/WHITE
		AUFKLEBER, UMWELTGEFÄHRDUNG 300 X 300 SCHWARZ/WEIß
		AUTOCOLLANT, DANGER POUR L'ENVIRONNEMENT 300 X 300 NOIR / BLANC
	67STI796	STICKER,"GRAVITAIR LOSSEN"
		STICKER, "GRAVITY UNLOADING"
		AUFKLEBER, "SCHWERKRAFTENTLADUNG"
		AUTOCOLLANT, "DÉCHARGEMENT PAR GRAVITÉ"
	67STI816	STICKER,"ONLY TIGHTEN MANHOLE LOCK BY HAND"
		STICKER, "DRAAI MANGATVERGREDELING ALLEEN MET DE HAND VAST"
		AUFKLEBER "MANNLOCHVERSCHLUSS NUR VON HAND ANZIEHEN"
		AUTOCOLLANT, "NE SERRER LA SERRURE DU TROU D'HOMME QU'À LA MAIN".
	73BTM022	THERMOMETER INSTEEL (0+120°C /DRM 63)
		THERMOMETER INSERTION (0+120°C /DRM 63)
		EINFÜHR-THERMOMETER (0+120°C /DRM 63)
		INSERTION DE THERMOMÈTRE (0 + 120 ° C / DRM 63)
	73MGD401	LOSTRECHTER KUNSTSTOF. DIAMETER 860/320mm H:380mm
		FILLIG FUNNEL PLASTIC. DIAMETER 860 / 320mm H: 380mm
		FÜLLEN TRICHTER KUNSTSTOFF. DURCHMESSER 860 / 320mm H: 380mm
		PLASTIQUE DE REMPLISSAGE DE FUNNEL. DIAMETRE 860 / 320mm H: 380mm

	Article	Description
	74STO001	HAAKSLEUTEL 90-155 NW 50 TOT NW80 HOOK KEY 90-155 NW 50 TOT NW80 HOOK SCHLÜSSEL 90-155 NW 50 TOT NW80 CROCHET CLE 90-155 NW 50 TOT NW80
	84BTI024	TIR KOORD DIA= 6MM TIR CORD DIA= 6MM TIR SCHNUR DURCHMESSER= 6MM DIAMÈTRE DU CORDON DE TIR = 6 MM
	84SLO012	VIERKANTSLEUTEL L=160 STAAL VERNIKKELD SQUARE KEY L=160 STEEL NICKEL PLATED QUADRATISCHER SCHLÜSSEL L=160 STAHL VERNICKELT CLÉ CARRÉE L = 160 ACIER NICKEL
	84SLO019	HAAKSE SLEUTEL; UITW. EN INW. VIERKANT PERPENDICULAR KEY, EXTERNAL AND INTERNAL SQUARE SENKRECHTER SCHLÜSSEL, EXTERN UND INTERN QUADRATISCH CLÉ PERPENDICULAIRE, CARRÉ EXTERNE ET INTERNE
	A0J0000091	BOUTKAM-RVS[1.4301];2xM8xL25 BOLT COMB-SS[1.4301];2xM8xL25 BOLZENKAMM-SS[1.4301];2xM8xL25 BOULON COMB-SS[1.4301];2xM8xL25
	A0J0001692	PLAAT - ALUMINIUM; T1; ZWART GALVANISCH ISOLATIE; RING [M8] PLATE-ALUMINIUM;T1;BLACKGALVANIC INSULATION;WASHER[M8] Platte (Aluminium); T1; SchwarzGalvanische Isolierung; Unterlegscheibe [M8] PLAQUE EN ALUMINIUM ; T1 ; NOIRISOLATION GALVANIQUE ; RONDELLE [M8]
	A2J0001847	FIETSENVANGER SCHARNIERPLAAT VOOR KLAPSTEUN (ALUMINIUM) BICYCLE RIDER HINGE PLATE FOR BUMP SUPPORT (ALUMINIUM) FAHRRADFAHRER-SCHARNIERPLATTE FÜR BUMPEN-UNTERSTÜTZUNG (ALUMINIUM) BICYCLE RIDER PLAQUE DE CHARNIERE POUR SUPPORT DE BUMPE (ALUMINIUM)

	Article	Description
	A2J0005027	MONTAGEPLAAT>SPATLAP 2400mm MOUNTING PLATE>MUDFLAP 2400mm MONTAGEPLATTE>SCHMUTZFÄNGER 2400mm PLAQUE DE MONTAGE>BAVETTE 2400mm
	A3J0005328	STEUN;LANDINGSPOOT;LINKS>KLEMBALK>ZIJBESCHERMING SUPPORT;LANDING LEG;LEFT>CLAMPING GIRDER>SIDE GUARD STÜTZE;LANDEBEIN;LINKS>KLEMMTRÄGER>SEITENSCHUTZ SUPPORT;JAMBE D'APPUI;GAUCHE>POUTRE DE SERRAGE>GARDE LATÉRALE
	A3M0000189	BEVESTIGINGSPLAAT>ADR-WEBER MOUNTING PLATE>ADR-WEBER MONTAGEPLATTE>ADR-WEBER PLAQUE DE MONTAGE>ADR-WEBER
	A3P0000799	ADAPTER-RVS-TW4/G4"A ADAPTER-RVS-TW4/G4"A ADAPTER-RVS-TW4/G4 "A ADAPTATEUR-RVS-TW4/G4 "A
	A600000953	VERGRENDELING OPPAKPUNT ROND ALU D20 X 48 LOCKING OF PICK-UP POINT ROUND ALU D20 X 48 SPERRE DES ABHOLPUNKTES RUND ALU D20 X 48 VERROUILLAGE DU POINT DE RETRAIT ROND ALU D20 X 48
	A6F0000130	HOEKBLOK TYPE TL - ALUMINIUM - 180X162X121 CORNERBLOCK TYPE TL - ALUMINIUM - 180X162X121 ECKBLOCK TYP TL - ALUMINIUM - 180X162X121 BLOC D'ANGLE TYPE TL - ALUMINIUM - 180X162X121
	A7J0004951	ANTISLIP;L400xW80 ANTISLIP;L400xW80 ANTISLIP;L400xW80 ANTISLIP;L400xW80

	Article	Description
	M2S0027C	BEVESTIGINGSTEUN ZIJVERLICHTING TEGEN KAST RECHTS
		BRACKET FOR SIDE-LIGHTS FOR TOOLBOX RIGHT
		HALTERUNG FÜR SEITENLEUCHTEN FÜR WERKZEUGKASTEN RECHTS
		SUPPORT POUR FEUX LATÉRAUX POUR BOÎTE À OUTILS DROIT




	Article	Description
	26BOC006	BOCHT 2" (INWENDIGE DRAAD) GILLAIN 2222 BEND 2" (INTERNALLY THREAD) GILLAIN 2222 BIEGE 2" (INNENGEWINDE) GILLAIN 2222 COUDE 2" (À FIL INTERNE) GILLAIN 2222
	26BOC007	BOCHT 2" (INWENDIG/UITWENDIG DRAAD) GILLAIN 2223 ; W1.4404 ELBOW 2" (INWARD/OUTWARD THREAD) GILLAIN 2223; W1.4404 BOGEN 2" (INNEN-/AUßENGEWINDE) GILLAIN 2223; W1.4404 COUDE 2" (FIL INTERIEUR / EXTERIEUR) GILLAIN 2223; W1.4404
	26BOC012	BOCHT NW50 53X1.5 R70, GESLEPEN, KEGEL-DRAADSTUK ELBOW NW50 53X1.5 R70, GROUND, CONE THREAD BOGEN NW50 53X1.5 R70, GESCHLIFFEN, KONUS-GEWINDESTUCK COUDE NW50 53X1.5 R70, TERRE, FIL CONIQUE
	26BOC026	BOCHT, DIN11852 BS BD, NW50, 90°, 1.4307 CURVE, DIN11852 BS BD, NW50, 90°, 1.4307 VERBIEGEN, DIN11852 BS BD, NW50, 90°, 1.4307 PLIER, DIN11852 BS BD, NW50, 90°, 1.4307
	26BOC064	BOCHT, DIN11852 - 85X2 R90, GESLEPEN ELBOW, DIN11852 - 85X2 R90, GROUND BOGEN, DIN11852 - 85X2 R90, GESCHLIFFEN COUDE, DIN11852 - 85X2 R90, TERRE
	2898L0035A	TIR MONTAGE OOG / STEUN TIR MOUNTING EYE/BRACKET TIR MONTAGEÖSE/AUFHÄNGUNG ORIFICE DE MONTAGE TIR / SUPPORT
	28M6KS001A	SCHARNIER UITLAAT VLAG BULKCONTAINER S.S HINGE EXHAUST FLAG BULK CONTAINER SCHARNIER AUSPUFF FLAG SCHÜTT-CONTAINER CHARNIERE DRAPEAU D'ECHAPEMENT CONTENEUR EN VRAC



	Article	Description
	36BOC007	LASBOCHT 4" - 108 X 4 - 90° - ALUMINIUM WELDED ELBOW 4"- 108 X 4 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 4"- 108 X 4 - 90° - ALUMINIUM COUDE SOUDÉ 4 " - 108 X 4 - 90 ° - ALUMINIUM
	36BOC008	LASBOCHT 3" - 89 X 3 - 90° - ALUMINIUM WELDED ELBOW 3"- 89 X 3 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 3"- 89 X 3 - 90° - ALUMINIUM COUDE SOUDÉ 3 " - 89 X 3 - 90 ° - ALUMINIUM
	36BOC009	LASBOCHT 2" - 60 X 3 - 90° - ALUMINIUM WELDED ELBOW 2"- 60 X 3 - 90° - ALUMINIUM GESCHWEIßTER BOGEN 2"- 60 X 3 - 90° - ALUMINIUM COUDE SOUDÉ 2 " - 60 X 3 - 90 ° - ALUMINIUM
	38M3L0028A	BEVESTIGING LOOPWEG ALUMINIUM CATWALK ATTACHMENT ALUMINIUM LAUFSTEG BEFESTIGUNG ALUMINIUM ATTACHE DE PASSERELLE EN ALUMINIUM
	38M3P0021A	MANCHON 1/2" - KOLLEKTOR KIPBULK COUPLING SLEEVE 1/2"- TANKER COLLECTOR KUPPLUNGENMUFFE 1/2"- TANKER KOLLEKTOR MANCHON RACCORD 1/2 " - COLLECTEUR DE CITERNES
	38M6D0009B	MOF ROND ALUMINIUM D90 X 20 X 2" ROUND SLEEVE ALUMINIUM D90 X 20 X 2" RUNDMUFFE ALUMINIUM D90 X 20 X 2" MANCHON ROND ALUMINIUM D90 X 20 X 2 "
	38S3L1002A	MANGATDEKSEL ALU S.S. UITVOERING 1999 MANHOLE COVER ALU (GENERATION 1999) EINSTIEGSÖFFNUNG DECKEL ALU (GENERATION 1999) COUVERCLE DE TROU D'HOMME ALUMINIUM (GENERATION 1999)






	Article	Description
	46NIP001	NIPPEL 2" GONDROM 07.0150 MESSING NIPPLE 2" GONDROM 07.0150 BRASS NOPPE 2" GONDROM 07.0150 MESSING RACCORD FILETE 2 "GONDROM 07.0150 LAITON
	56DOP027	DOMPELDOP ZWART DIA 14.3 X 50 (PVC ZWART) DIP MOULDED CAP BLACK DIAMETER 14.3 X 50 (PVC BLACK) TAUCHFÜRMKAPPE SCHWARZ DURCHMESSER 14.3 X 50 (PVC SCHWARZ) COUVERCLE MOULÉ DIP NOIR DIAMÈTRE 14,3 X 50 (PVC NOIR)
	56DOP029	INSTEKDOP ROND ZWART VOOR BUIS 40X1.5/2.5 INSERT CAP ROUND BLACK FOR TUBE 40X1.5/2.5 EINSATZKAPPE RUND SCHWARZ FÜR SCHLAUCH 40X1.5/2.5 INSERT COUVERCLE ROND NOIR POUR TUBE 40X1.5 / 2.5
	56DOP036	INSTEKDOP ROND ZWART VOOR BUIS 28X1.5 INSERT CAP ROUND BLACK FOR TUBE 28X1.5 EINSATZKAPPE RUND SCHWARZ FÜR SCHLAUCH 28X1.5 INSERT COUVERCLE ROND NOIR POUR TUBE 28X1.5
	59RXX005	RONDE RUBBER (DEURSTOP) DIAMETER =30 HOOGTE=18 DIAMETER AS=6 ROUND RUBBER (DOOR STOP) DIAMETER = 30 HEIGHT = 18 AXIS DIAMETER = 6 RUNDER GUMMI (TÜRSTOPPER) DURCHMESSER = 30 HÖHE = 18 ACHSEN-DURCHMESSER = 6 CAOUTCHOUC ROND (ARRÊT DE PORTE) DIAMÈTRE = 30 HAUTEUR = 18 AXE DIAMÈTRE = 6
	67HGR002	HANDGREEP - L= 210 - CHROOM VERNIKKELD HAND GRIP / LENGTH 210 / CHROME NICKEL HANDGRIFF / LÄNGE 210 / CHROM NICKEL POIGNEE A MAIN / LONGUEUR 210 / CHROME NICKEL
	73MGD038	KNEVELSET FV, KNEVEL + OOGBOUW L=66, RVS/MS





	Article	Description
	73MGD096	KNEVELSET FORT VALE, KNEVEL+OOGBOUT,L=87 ROESTVRIJSTAAL/ROESTVRIJSTAAL TOGGLE SET FORT VALE, TOGGLE + EYE BOLT, L=87 STAINLESS STEEL/STAINLESS STEEL SCHALTER SET FORT VALE, SCHALTER + RINGSCHRAUBE, L=87 EDELSTAHL/EDELSTAHL ENSEMBLE À BASCULE FORT VALE, BOUGIE À BASCULE + BOULON A CÊIL, L = 87 ACIER INOXYDABLE / ACIER INOXYDABLE
	73MGD097	KNEVELSET,FV,KNEVEL+OOGBOUT,L=87 RVS/MS
	81ITG004	GLASWOL ISOVER PSI A1 D=50 EENZIJDE ALUMINIUM FOLIE GLASS WOOL ISOVER PSI A1 D=50 ONE-SIDED ALUMINIUM FOIL GLASWOLLE ISOVER PSI A1 D=50 EINSEITIG ALUMINIUM FOLIE LAINE DE VERRE ISOVER PSI A1 D = 50 FEUILLE D'ALUMINIUM À UNE FACE
	84GSV002	GASVEER L=500 (UIT) KOERS=200 F= 500 N (MET OOG EN ANDERE KANT RECHT KOGELGEWRIGHT.) GAS SPRING L=500 (OUTPUT) RATE =200 F= 500 N (WITH EYE AND OTHER SIDE RIGHT BALL JOINT) GASFEDER L=500 (OUTPUT) RATE =200 F= 500 N (MIT ÖSE UND AUF ANDERER SEITE RECHTS KUGELGELENK) RESSORT DE GAZ L = 500 (SORTIE) VITESSE = 200 F = 500 N (AVEC OEILLET ET JOINT A ROTULE)
	84SLO006	SLOT, VIERKANT 87X68, ZELFSLUITEND LOCK, SQUARE 87X68, CLOSED SCHLOSS, QUADRATISCH 87X68, GESCHLOSSEN SERRURE, CARRÉ 87X68, FERMÉ
	84SLO008	SLOT VIERKANT KLEIN MODEL (INOX / 100X19) LOCK SQUARE SMALL MODEL (STAINLESS STEEL / 100X19) SCHLOSS QUADRATISCH KLEINES MODELL (EDELSTAHL / 100X19) CADENAS DE SURETE PETIT MODÈLE (ACIER INOXYDABLE / 100X19)
	84SLO014	SLOT,VIERKANT,KLEIN MODEL,INOX ,100X19 (STEEK GATEN=80 MM LINKSE UITVOERING) LOCK, SQUARE, SMALL MODEL, INOX, 100X19 (INSERT HOLES = 80 MM LEFT- HAND VERSION) SCHLOSS, QUADRATISCH, KLEINMODELL, INOX, 100X19 (EINLEGE BOHRUNGEN = 80 MM LINKS-HAND-AUSFÜHRUNG) SERRURE, CARRÉ, PETIT MODÈLE, INOX, 100X19 (INSERT HOLES = 80 MM VERSION GAUCHE)


	Article	Description
	84SLU150	DEURSLOT MET SLEUTEL, RVS, INBOUW (DIEPTE INSTELBAAR H20-H52) DOOR LOCK WITH KEY, STAINLESS STEEL, BUILT-IN (ADJUSTABLE DEPTH H20-H52) TÜRSCHLOSS MIT SCHLÜSSEL, EDELSTAHL, EINGEBAUT (ANPASSBARE TIEFE H20-H52) VERROU DE PORTE AVEC CLÉ EN ACIER INOXYDABLE INTÉGRÉ (PROFONDEUR AJUSTABLE H20-H52)
	91MKR006	KNEVEL RVS 1.4301/MS - M20 - 2 ARMEN - KLEIN TOGGLE STAINLESS STEEL 1.4301/MS - M20 - 2 ARMS - SMALL SCHALTER EDELSTAHL 1.4301/MS - M20 - 2 ARME - KLEIN INTERRUPTEUR A BASCULE ACIER INOXYDABLE 1.4301 / MS - M20 - 2 BRAS - PETIT
	91MTR006	TUBE-MOER RVS 1.4301, M24 ZOND.TIR-OOG TUBE-NUT STAINLESS STEEL 1.4301, M24 WITHOUT TIR EYE SCHLAUCH-NUT EDELSTAHL 1.4301, M24 OHNE TIR ÖSE TUBE-ECROU ACIER INOXYDABLE 1.4301, M24 SANS OEILLET TIR
	91OBR007	OOGBOUT RVS M24 X 150 X 115 EYE BOLT STAINLESS STEEL M24 X 150 X 115 RINGSCHRAUBE EDELSTAHL M24 X 150 X 115 BOULON A OEIL EN ACIER INOXYDABLE M24 X 150 X 115
	91OBR009	OOGBOUT RVS A-M20 X 90X61 (DIN 444) EYE BOLT STAINLESS STEEL A-M20 X 90X61 (DIN 444) RINGSCHRAUBE EDELSTAHL A-M20 X 90X61 (DIN 444) BOULON A OEIL EN ACIER INOXYDABLE A-M20 X 90X61 (DIN 444)
	91OBR011	PEN VOOR OOGBOUT M24 ROND RVS 22 X 60 MET GROEF PIN FOR EYE BOLT M24 ROUND STAINLESS STEEL 22 X 60 WITH GROOVE PIN FÜR RINGSCHRAUBE M24 RUND EDELSTAHL 22 X 60 MIT RILLE GOUPILLE POUR BOULON A EYE M24 ROND ACIER INOXYDABLE 22 X 60 AVEC RAINURE
	91OBR012	OOGBOUT RVS (A-M20X80X51 DIN 444) EYE BOLT STAINLESS STEEL (A-M20X80X51 DIN 444) RINGSCHRAUBE EDELSTAHL (A-M20X80X51 DIN 444) BOULON A OEIL ACIER INOXYDABLE (A-M20X80X51 DIN 444)



	Article	Description
	91OBR014	OOGBOUT A-M24 X 130X95K (DIN 444) EYE BOLT A-M24 X 130X95K (DIN 444) RINGSCHRAUBE A-M24 X 130X95K (DIN 444) BOULON A OEIL A-M24 X 130X95K (DIN 444)
	91STR001	STELSCHROEF, BIN ZESK + AFSCH, DIN 913, M8X10 VOOR OOGBOUT SETTING SCREW, BIN ZESK + AFSCH, DIN 913, M8X10 FOR EYE BOLT EINSTELLSCHRAUBE, BIN ZESK + AFSCH, DIN 913, M8X10 FÜR RINGSCHRAUBE VIS DE REGLAGE, BAC ZESK + AFSCH, DIN 913, M8X10 POUR BOULON A OEIL
	A1G0000132	KOPPELPLAAT COUPLING PLATE KUPPLUNGSPLATTE PLAQUE D'ACCOUPLEMENT
	A2L0005659	SCHARNIER MORSBAKDEKSEL HINGE ORIGINAL COVER SCHARNIER BÜRSTE DECKEL COUVERCLE DE BROSSE
	A2N0000143	AFWERKINGSPLAAT>SPILLBOX AFWERKINGSPLAAT>SPILLBOX ABSCHLUSSPLATTE>ÜBERLAUFBEHÄLTER PLAQUE DE FINITION>SPILLBOX
	A2N0000247	AFWERKINGSPLAAT>SPILLBOX FINISHING PLATE>SPILLBOX ABSCHLUSSPLATTE>ÜBERLAUFBEHÄLTER PLAQUE DE FINITION>SPILLBOX
	A3J0002552	TIR OOG>BLINDSTOP TIR OEIL>BLINDSTOP TIR AUGEN>BLINDSTOP TIR OEIL>BLINDSTOP



	Article	Description
	A3L0000299	MANHOLE COVER-ALU;520 MANHOLE COVER-ALU;520 Schachtabdeckung-Alu;520 COUVERCLE DE TROU D'HOMME - ALU;520
	A3L0001553	FLENSPTFE D317XD317XT3 FLENS PTFE D317 X D317 X T3 FLENS PTFE D317 x D317 x T3 LENTILLES PTFE D317 X D317 X T3
	A3L0002439	TIR KABELHOUDER TIR CABLE HOLDER TIR KABELHALTER PORTE-CÂBLE TIR
	A3L0002464	CHARNIERPLAAT>DEKSEL>MANGAT HINGE PLATE>LID>MANLID SCHARNIERPLATTE>DECKEL>MANDECKEL PLAQUE DE CHARNIÈRE>COUVERCLE>COUVERCLE D'HOMME
	A3L0002465	SCHARNIERPLAAT>NEKRING>MANGAT HINGE PLATE>NECKRING>MANLID SCHARNIERPLATTE>HALSRING>MANDECKEL PLAQUE CHARNIÈRE>COLLIER>COUVERCLE D'HOMME
	A3L0002983	MANHOLE COVER DIAMETER 450 MANHOLE COVER DIAMETER 450 EINSTIEGSÖFFNUNGSDECKELDURCHMESSER 450 COUVERCLE POUR REGARD DE DIAMÈTRE 450
	A3L0005013	TIR-CORD=>19,5M DIA=6 TIR-CORD=>19.5MDIA=6 TIR-KORDE=>19,5MDIA=6 Cordon TIR => 19,5 mDiamètre = 6





	Article	Description
	A600000555	MANGATDEKSEL ALU DIA 460; T15 (DRUKLOZE BOX - DRAAIBAAR) MANGAT LID ALU DIA 460; T15 (PRESSURELESS BOX - ROTATABLE) MANGAT DECKEL ALU DIA 460; T15 (DRUCKLOSE BOX - DREHBAR) COUVERCLE DE MANGAT ALU DIA 460; T15 (BOÎTE SANS PRESSION - ROTATIVE)
	A600003394	MANGAT DEKSEL ALI S=450 D=25 LDBOX MANGATDEKSEL ALU D=450 D=25LDBOX Schachtabdeckung ALI S=450 D=25 LDBOX COUVERCLE DE TROU D'HOMME ALI S=450 D=25 LDBOX
	A6F0000114	HOEBLOK TYPE BR - ALUMINIUM - 180X193X121 CORNERBLOCK TYPE BR - ALUMINIUM - 180X193X121 ECKBLOCK TYP BR - ALUMINIUM - 180X193X121 BLOC D'ANGLE TYPE BR - ALUMINIUM - 180X193X121
	A6F0000120	HOEBLOK TYPE BL - ALUMINIUM - 180X193X121 CORNERBLOCK TYPE BL - ALUMINIUM - 180X193X121 ECKBLOCK TYP BL - ALUMINIUM - 180X193X121 BLOC D'ANGLES TYPE BL - ALUMINIUM - 180X193X121
	A6F0000126	HOEBLOK TYPE TR - ALUMINIUM - 180X162X121 CORNERBLOCK TYPE TR - ALUMINIUM - 180X162X121 ECKBLOCK TYP TR - ALUMINIUM - 180X162X121 BLOC D'ANGLES TYPE TR - ALUMINIUM - 180X162X121
	A6I0000069	VERBINDINGSPLAAT CONNECTION PLATE ANSCHLUSSPLATTE PLAQUE DE CONNEXION
	A6I0000090	GEREEDSCHAPSKIST TOOLBOX WERKZEUGKASTENWERKZEUGKASTEN BOÎTE À OUTILSBOÎTE À OUTILS




	Article	Description
	A6I0000091	WERKZEUGKASTEN TOOLBOX WERKZEUGKASTEN BOÎTE À OUTILS
	A6K0000014	SCHUIFSTUK-RVS-SCHARNIERMECHANISME SLIDING STAINLESS STEEL HINGE MECHANISM SCHIEBENDER SCHARNISMECHANISMUS AUS EDELSTAHL MÉCANISME DE CHARNIÈRE COULISSANTE EN ACIER INOXYDABLE
	A6K0000104	SCHARNIER>UITLAATSCHARNIER HINGE>OUTLET HINGEHINGE>OUTLET HINGE SCHARNIER>AUSLASSSCHARNIER CHARNIÈRE>charnière de sortie
	A6K0000105	ARM>UITLAATSCHARNIER ARM>OUTLET HINGEARM>OUTLET HINGE ARM>AUSLASSSCHARNIER BRAS>charnière de sortie
	A6K0000112	SCHARNIER>UITLAATSCHARNIER UITLAAT 700 HINGE>OUTLET HINGEOUTLET 700 SCHARNIER>AUSLASSSCHARNIERAUSGANG 700 CHARNIÈRE>charnière de sortieSORTIE 700
	A6L0000038	SET-OOGBOUT 130 RINGMOER RVS RINGMOER M24 OOGBOUT M24X130 SET EYE BOLT 130 RING NUT STAINLESS STEELRING NUT M24 EYE BOLT M24X130 SET AUGENSCHRAUBE 130 RINGMUTTER EDELSTAHLRINGMUTTER M24 AUGENSCHRAUBE M24X130 JEU DE BOULONS À OEIL 130 ECROUS À ANNEAU INOXECROU À ANNEAU M24 BOULON À OEIL M24X130
	A6L0000040	SET OOGBOUT 130 ZESKANTMOER SW46 RVS ZESKANTMOER M24 SW46 OOGBOUT M24X130 SET EYE BOLT 130 HEXAGON NUT SW46 STAINLESS STEELHEX NUT M24 SW46 EYE BOLT M24X130 SET AUGENSCHRAUBE 130 SECHSKANTMUTTER SW46 EDELSTAHLSECHSKANTMUTTER M24 SW46 AUGENBOLZE M24X130 JEU DE BOULONS À OEIL 130 ÉCROUS HEXAGONAUX SW46 ACIER INOXYDABLEÉCROU HEXAGONAL M24 SW46 BOULON À OEIL M24X130


	Article	Description
	A6L0000575	DOCUMENT KOKER DEKSEL(KOPPELING) DOCUMENT TUBE COVER (COUPLER) DOKUMENTENROHR-ABDECKUNG (KUPPLUNG) COUVERCLE DE TUBE DE DOCUMENT (COUPLEUR)
	A6L0000590	VASTZETTING RUBBER FIXING RUBBER BEFESTIGUNGSGUMMI CAOUTCHOUC DE FIXATION
	A6L0000591	VASTZETTING RUBBER FIXING RUBBER BEFESTIGUNGSGUMMI CAOUTCHOUC DE FIXATION
	A6L0000592	BEVESTIGING PLASTIC PLASTIC FIXING KUNSTSTOFFBEFESTIGUNG FIXATION PLASTIQUE
	A6L0000634	KNEVELSET-M20X90 TOGGLE COMPLETE SET - M20X90 SCHALTER KOMPLETTSET - M20X90 INTERRUPTEUR A BASCULE -ENSEMBLE COMPLET - M20X90
	A6L0001157	PLAAT>PARKEERKOPPELING PLATE>PARKING COUPLING PLATTE>PARKKUPPLUNG PLAQUE>ACCOUPEMENT PARKING
	A6L0001158	PLAAT>PARKEERKOPPELING PLATE>PARKING COUPLING PLATTE>PARKKUPPLUNG PLAQUE>ACCOUPEMENT PARKING




	Article	Description
	A6L0001228	VLEUGELMOER SET-RVS;M20x80 WING NUT SET-SS;M20x80 FLÜGELMUTTERSATZ-SS;M20x80 JEU D'ÉCROUS À AILETTES-SS;M20x80
	A6L0001232	MONTAGE>COLLECTOR;4" MOUNT>COLLECTOR;4" HALTER>SAMMLER;4" MONTAGE>COLLECTEUR;4"
	A6L0001359	DEKSEL>MANGAT;DIA500 LID>MANHOLE COVER;DIA500 DECKEL>SCHACHTELDECKEL;DIA500 COUVERCLE>COUVERCLE DE REGARD;DIA500
	A6P0000097	REDUCTIE-RVS-6" FLENS>4" TW-SCHUIN 38° UITLAAT REDUCTION-STAINLESS STEEL-6" FLANGE>4" TW-ANGLED 38° EXHAUST PIPE REDUZIERUNG-EDELSTAHL-6" FLANSCH>4" TW-WINKEL 38° AUSPUFF RÉDUCTION-ACIER INOXYDABLE-BRIDE 6">4" TW-ANGLED 38° TUYAU D'ÉCHAPPEMENT



	Article	Description
	54PES006	BUIS PE SLANGKOKER (ZWARTE POLYETHYLEEN) - 200 X 4,9 X 5200 TUBE PE HOSE TUBE (BLACK POLYETHYLENE) - 200 X 4.9 X 5200 SCHLAUCH PE SCHLAUCH (SCHWARZES POLYETHYLENE) - 200 X 4.9 X 5200 TUBE PE (POLYÉTHYLÈNE NOIRE) - 200 X 4,9 X 5200
	54PES007	SLANGKOKER BUIS PE - 160 X 3,9 X 2400 HOSE TUBE, TUBE PE - 160 X 3.9 X 2400 SCHLAUCH, SCHLAUCH PE - 160 X 3.9 X 2400 TUBE PE - 160 X 3,9 X 2400
	91BEU001	BEUGEL DRM 4" - RVS BRACKET DRM 4" - STAINLESS STEEL HALTERUNG DRM 4" - EDELSTAHL SUPPORT DRM 4 " - ACIER INOXYDABLE
	91BEU002	BEUGEL DRM 3" - DIAMETER 12 BRACKET DRM 3" - DIAMETER 12 HALTERUNG DRM 3" - DURCHMESSER 12 SUPPORT DRM 3 " - DIAMÈTRE 12
	91BEU003	BEUGEL DRM 2" - DIAMETER 10 BRACKET DRM 2" - DIA10 HALTERUNG DRM 2" - DIA10 SUPPORT DRM 2 " - DIA10
	A0J0001232	SLANGKOKER BEUGEL-RVS;2xDIA200 HOSETUBE SUPPORT-SS;2xDIA200 SCHLAUCH HALTERUNG-EDELSTAHL;2 X DIA200 SUPPORT DE SUPPORT-INOX;2xDIA200
	A0J0001234	SLANGKOKER BEUGEL-RVS;2xDIA200;MONTAGE DEEL HOSETUBE SUPPORT-SS;2xDIA200;MOUNTING PART SCHLAUCH HALTERUNG-EDELSTAHL;2 X DIA200 - BEHÄLTERTEIL SUPPORT DE SUPPORT-INOX;2xDIA200>PORTE-TUYAU





	Article	Description
	A3J0000413	EINDSTUK SLANGKOKER 2 X D200 MET DEUR LINKS + RECHTS - RVS END PIECE HOSE TUBE 2 X D200 WITH DOOR LEFT+ RIGHT ENDSTÜCK SCHLAUCH 2 X D200 MIT TÜR LINKS+ RECHTS TUYAU D'EXTRÉMITÉ 2 X D200 AVEC PORTE GAUCHE + DROIT
	A3P0000038	LUCHTLEIDING BESCHERMINGSPLAAT 3" AIRLINE PROTECTION PLATE 3" FLUGZEUGSCHUTZPLATTE 3" PLAQUE DE PROTECTION AIRLINE 3"
	A3P0000464	MONTAGEBEUGEL>DRUKAFLAAT MOUNTING BRACKET>PRESSURE RELIEF MONTAGEHALTERUNG>DRUCKENTLASTUNG SUPPORT DE MONTAGE>DECHARGE DE PRESSION
	A6L0001231	MONTAGE>COLLECTOR;4" MOUNT>COLLECTOR;4" HALTER>SAMMLER;4" MONTAGE>COLLECTEUR;4"



	Article	Description
	2893L0136A	VERBINDINGSST LEUNING ROESTVRIJSTAAL KLAPRELING ROESTVRIJSTAAL D24.5 X 100 CONNECTING PIECE RAILING STAINLESS STEEL FOLDING RAIL STAINLESS STEEL D24.5 X 100 VERBINDUNGSSTÜCK GELÄNDER EDELSTAHL FALTSCHIENE EDELSTAHL D24.5 X 100 PIÈCE DE RACCORDEMENT RAIL PLIANT EN ACIER INOXYDABLE D24.5 X 100
	28M0L0016A	LOSSE TREDE VOOR TRAP LADDER LOOSE STEP FOR STAIR LADDER LOSER SCHRITT FÜR TREPPEN LEITER ÉTAPE LIBRE POUR L'ÉCHELLE D'ESCALIER
	28M0L0072B	VANGSTUK KLAPRELING FOLDING RAIL RECEIVER FALTSCHIENE RECEIVER RECEPTEUR DE RAIL PLIABLE
	28M2L0434A	BEDIENING KLAPRELING SLUITING LADDER FOLDING RAIL CLOSURE LADDER CONTROL FALTSCHIENE VERSCHLUSS LEITER KONTROLLE COMMANDE D'ÉCHELLE DE FERMETURE DE RAIL PLIABLE
	38A3L0000055	LOOPVLAKSTEUN CATWALK BRACKET LAUFSTEG HALTERUNG SUPPORT DE PASSERELLE
	38A3L0000947	BEVESTIGING BUISVANGER KLAPRELING TUBE RECEIVER ATTACHMENT FOLDING RAIL ROHREMPFÄNGER BEFESTIGUNG FALTSCHIENE RAIL PLIANT DE FIXATION DE RÉCEPTEUR DE TUBE
	38M0L0029A	VASTZETTING GASVEER KLAPRELING ALU. FIXING GAS SPRING CLAMP ALUMINIUM. BEFESTIGUNGSGASFEDERKLEMME ALUMINIUM. PINCE DE RESSORT A GAZ DE FIXATION ALUMINUM.



	Article	Description
	38M3L0086A	KLAPGELANDER / TIR OOG ALUMINIUM RECEIVER/TIR EYE ALUMINIUM EMPFÄNGER/TIR ÖSE ALUMINIUM RECEPTEUR/TIR OEILLET ALU
	38M6L0008A	HANDVAT MANGATDEKSEL ALUMINIUM D12 X 124 X 62 MANHOLE COVER LID HANDLE ALUMINIUM D12 X 124 X 62 EINSTIEGSÖFFNUNG DECKELGRIFF ALUMINIUM D12 X 124 X 62 POIGNEE COUVERCLE DE TROU D'HOMME ALUMINIUM D12 X 124 X 62
	38M6L0087B	SCHARNIER EXTRUSIEPROFIEL KLAPRELING GEN.2003 EXTRUSION PROFILE FOLDING RAIL HINGE (GENERATION 2003) EXTRUSIONSPROFIL FALTSCHIENE SCHARNIER (GENERATION 2003) PROFIL D'EXTRUSION CHARNIÈRE DE RAIL PLIANTE (GENERATION 2003)
	38M6LS020A	VERGRENDELING KLAPRELING RVS LOCKING SAFETY RAILING STAINLESS STEEL VERRIEGELUNGS SICHERHEIT GELÄNDER AUS ROSTFREIEM STAHL VERROUILLAGE DE SÉCURITÉ RAILING ACIER INOX
	53RNX022	BUISVANGER VOOR BUIS D32 (EPDM) TUBE RECEIVER FOR TUBE D32 (EPDM) SCHLAUCHEMPFÄNGER FÜR SCHLAUCH D32 (EPDM) TUBE RECEVEUR POUR TUBE D32 (EPDM)
	58A3L0000719	GLIJLAGER VOETSCHARNIER STIJL KLAPRELING SLIDE BEARING FOOT HINGE FOLDING RAIL STYLE GLEITLAGER FUßSCHARNIER FALTSCHIENE STIL PALIER GLISSANT CHARNIERE DE PIED RAIL PLIABLE
	58M1L0003B	KLAPRELING 24 X 20 FOLDING RAIL 24 X 20 FALTSCHIENE 24 X 20 RAIL PLIANT 24 X 20



	Article	Description
	67LRT004	LOOPROOSTER HOOGTE=65, BREEDTE=400, LENGTE=6000 ALMG3 CATWALK GRATE (HEIGHT 65, WIDTH 400, LENGTH 6000) ALMG3 LAUFSTEG GITTER (HÖHE 65, BREITE 400, LÄNGE 6000) ALMG3 GRILLE DE PASSERELLE (HAUTEUR 65, LARGEUR 400, LONGUEUR 6000) ALMG3
	67LRT007	RAUTENOLIVEN M.ANSENK BEVESTIGING VOOR LOOPROOSTER (PVC / M8) RAUTENOLIVEN M.ANSENK ATTACHMENT FOR CATWALK GRATE (PVC / M8) RAUTENOLIVEN M. ANSENK BEFESTIGUNG FÜR LAUFSTEG GITTER (PVC / M8) M.ANSENK FIXATION POUR GRILLE PASSERELLE (PVC / M8) ROUGE VERT
	67LRT023	LOOPROOSTER (H=65/121, B=400, L=6000, ALMG3) - MIT RANDLÖCHER CATWALK GRATE (H = 65/121, B = 400, L = 6000, ALMG3) - WITH RANDLÖCHER LAUFSTEG GITTER (H = 65/121, B = 400, L = 6000, ALMG3) - MIT RANDLÖCHERN GRILLE DE PASSERELLE (H = 65/121, B = 400, L = 6000, ALMG3) - AVEC RANDLÖCHER
	84SLU118	KLEPSLUITING (LENGTE 78 - BREEDTE 20) IN RVS / MOER M12 VALVE CLOSURE (LENGTH 78-WIDTH 20) IN STAINLESS STEEL/NUT M12 VENTILVERSCHLUSS (LÄNGE 78-BREITE 20) AUS ROSTFREIEM STAHL/MUTTER M12 FERMETURE DE VANNE (LONGUEUR 78-LARGEUR 20) EN ACIER INOX/ÉCROU M12
	A0L0000176	STIJL KLAPRELING RECHTS VOORSTIJL RVS L=1070 PILLAR FOLDING RAIL RIGHT FRONT PILLAR STAINLESS STEEL L=1070 SÄULE FALTSCHIENE RECHTS FRONTSÄULE EDELSTAHL L=1070 PILIER RAIL PLIABLE AVANT DROIT ACIER INOXYDABLE L = 1070
	A0L0000178	MONTAGESTEUN RUBBER KLAPRAIL MOUNT RUBBER FOLDING RAIL GUMMIKLAPPSCHIENE MONTIEREN MONTER LE RAIL PLIABLE EN CAOUTCHOUC
	A0L0000260	VOORBALUSTER-SS;L1070-GASPRING RECHTS FRONT BALUSTER-SS;L1070-GAS SPRINGRIGHT VORDERER BALUSTER-SS;L1070-GASFEDERRECHTS VORDERER BALUSTER-SS;L1070-GASFEDERRECHTS



	Article	Description
	A0L0000479	TREKSTANG-SS;L1605 PULLING ROD-SS;L1605 ZUGSTANGE-SS;L1605 TIGE DE TRACTION-SS;L1605
	A0L0000481	Scharnier eindstuk (duw / trek) HINGE END PIECE (PUSH / PULL) SCHARNIERENDSTÜCK (PUSH / PULL) EMBOUT DE CHARNIÈRE (PUSH / PULL)
	A0L0000654	RUBBER DEMPER>VOUWBARE RAIL RUBBER DAMPER>FOLDING RAIL GUMMI-DÄMPFER>KLAPPSCHIENE AMORTISSEUR EN CAOUTCHOUC>RAIL REPLIABLE
	A0L0000655	BALUSTER-SS;H1070;MIDLE BALUSTER-SS;H1070;MIDLE BALUSTER-SS;H1070;MIDLE BALUSTRE-SS;H1070;MIDLE
	A0L0000658	BALUSTER-SS;H1070;VOORKANT BALUSTER-SS;H1070;FRONT BALUSTER-SS;H1070;VORDERSEITE BALUSTRE-SS;H1070;AVANT
	A0L0000709	BALUSTER-SS;H1070;MIDDEN BALUSTER-SS;H1070;MIDDLE BALUSTER-SS;H1070;MITTEL BALUSTRE-SS;H1070;MILIEU
	A1L0000479	PIJLER[L1055] PILLAR[L1055] SÄULE[L1055] PILIER[L1055]

	Article	Description
	A1L0000607	KLEMBEUGEL VOOR BUIS HANDRAILING CLAMP BRACKET FOR HANDRAILING PIPE KLEMMHALTERUNG FÜR HANDLAUFROHR SUPPORT DE SERRAGE POUR TUYAU DE MAINTIEN
	A2L0004729	CONNECTION PLATE WALKWAY CONNECTION PLATE WALKWAY VERBINDUNGSPLATTE LAUFSTEG PIED DE RACCORDEMENT
	A2L0004733	ENDPLATE>WALKWAY ENDPLATE>WALKWAY ENDPLATE>WALKWAY ENDPLATE>WALKWAY
	A2L0005283	VOETSCHARNIERSTUK KLAPRELING RVS FOOT HINGE PIECE FOLDING RAIL FUß-SCHARNIER STÜCK FALTSCHIENE CHARNIÈRE FALTSCHIENE - ROSTFREISTAHL
	A2L0005285	MONTAGEPLAAT>RUBBER>KLAP RAIL MOUNTING PLATE>RUBBER>FOLDING RAIL MONTAGEPLATTE>GUMMI>KLAPPSCHIENE PLAQUE DE MONTAGE>CAOUTCHOUC>RAIL PLIANT
	A2L0005288	STIJL KLAPRELING LINKS COMPLETE SET (VOORSTIJL-RVS-L1070) STYLE SLAP RAILING LEFT COMPLETE SET (PRESTYLE-STAINLESS STEEL-L1070) STYLE SLAP GELÄNDER LINKS KOMPLETTER SATZ (PRESTYLE-EDELSTAHL-L1070) STYLE SLAP BALUSTRADE GAUCHE ENSEMBLE COMPLET (PRESTYLE-ACIER INOX-L1070)
	A2L0005907	VERBINDINGSSTUK BUIS LOOPRELING CONNECTION PIECE TUBE WALKWAY RAILING VERBINDUNGSSTÜCK SCHLAUCH LAUFSTEGGELÄNDER TUBE DE RACCORDEMENT RAMBARDE DE PASSERELLE



	Article	Description
	A3L0000278	STIJL KLAPRELING RECHTS, VOORSTIJL RVS L1070 PILLAR FOLDING RAIL RIGHT, FRONT PILLAR STAINLESS STEEL L1070 SÄULE FALTSCHIENE RECHTS, FRONTSÄULE EDELSTAHL L1070 PILIER RAIL PLIANT DROIT, PILIER AVANT ACIER INOXYDABLE L1070
	A3L0000281	STIJL KLAPRELING MIDDEN PILLAR FOLDING RAIL MIDDLE SÄULE FALTSCHIENE MITTE PILIER PLIANT RAIL MILIEU
	A3L0002392	HANDRAIL- ALUMINIUM ; LENGTE 1500 , CC1050 HAND RAILING- ALUMINUM; LENGTH 1500, CC 1050 HAND-RAILING-ALUMINIUM; LÄNGE 1500, CC 1050 RAILING A MAIN - ALUMINIUM; LONGUEUR 1500, CC 1050
	A3L0002518	GEBOGEN BUI HANDRAIL (D26.9XT2XL=1360) OUTSIDE BENT HANDRAIL (D26.9XT2XL=1360) OUTSIDE GEBOGENES GELÄNDER (D26.9XT2XL=1360) MAIN COURANTE EXTÉRIEURE PLIÉE (D26.9XT2XL = 1360)
	A3L0002520	STIJL KLAPRELING LINKS PILLAR FOLDING RAIL LEFT SÄULE FALTSCHIENE LINKS PILIER RAIL PLIANT GAUCHE
	A3L0003463	OPVOUWBARE RAIL>VANGER FOLDING RAIL>CATCHER KLAPPSCHIENE>FÄNGER RAIL REPLIABLE>CATCHER
	A3L0004962	STEUN>LEUNING SUPPORT>HANDRAIL UNTERSTÜTZUNG > HANDLAUF SUPPORT>MAIN COURANTE

	Article	Description
	A6L0000130	LEVIER HANDBEDIENING KLAPRELING LEVIER MANUAL FOLDING RAILING LEVIER MANUELLES KLAPPGELÄNDER RAMPE PLIANTE MANUELLE LEVIER
	A6L0000131	KLAPRELING SCHARNIERAS FOLDING HINGE SHAFT KLAPPBARER SCHARNIERTACHS ARBRE DE CHARNIÈRE PLIABLE
	A6L0000133	KLAPRELING SCHARNIERAS FOLDING HINGE SHAFT KLAPPBARER SCHARNIERTACHS ARBRE DE CHARNIÈRE PLIABLE
	A6L0000177	LADDER ALUMINIUM 7 TREDEN GESCHROEFD (BR300) LADDER ALUMINIUM 7-TREAD SCREWED (BR300) LEITER ALUMINIUM 7-STUFEN GESCHRAUBT (BR300) ECHELLE ALUMINIUM 7-TREAD A VIS (BR300)
	A6L0000325	AFSCHORING>LADDER OP ACHTERKADER DESCENT> LADDER ON REAR FRAME ABLAUF> LEITER AUF HINTEREM RAHMEN DESCENTE> ÉCHELLE SUR CADRE ARRIÈRE
	A6L0000444	LADDER ALUMINIUM 7 TREDEN GESCHROEFD (BR300) LADDER-ALU;BR300SCREWED;7 STEPS LEITER-ALU;BR300GESCHRAUBT;7 SCHRITTE ÉCHELLE-ALU;BR300VISSÉ;7 ÉTAPES
	A6L0000484	LADDER-ALU;W300 GEBOUT; 7 TREDES LADDER-ALU;W300BOLTED;7 STEPS LEITER-ALU;W300VERSCHRAUBT; 7 SCHRITTE ÉCHELLE-ALU;W300BOULONNÉ;7 ÉTAPES


	Article	Description
	A6L0000643	LOOPVLAKSTEUN WALKWAY SUPPORT PROFILUNTERSTÜTZUNG SUPPORT DE ROULEMENT
	A6L0000657	ACHTERBALUSTER-SS;L1070 REAR BALUSTER-SS;L1070 REAR BALUSTER-SS;L1070 BALUTRE ARRIÈRE-SS;L1070
	A6L0000659	GEBOUTEN HANDGREEP BOLTED HANDGRIP VERSCHRAUBTER HANDGRIFF POIGNÉE BOULONNÉE
	A6L0000665	MONTAGEPLAAT>SLOT HANDRAIL MOUNTING PLATE>LOCK HANDRAIL MONTAGEPLATTE>VERRIEGELUNGSHANDLAUF PLAQUE DE MONTAGE>MAIN COURANTE DE VERROUILLAGE
	A6L0000804	ACHTERBALUSTER-SS;L1070 VOUWBARE HENDEL REAR BALUSTER-SS;L1070FOLDING LEVER HINTERER BALUSTER-SS;L1070KLAPPHEBEL BALUTRE ARRIÈRE-SS;L1070LEVIER REPLIABLE
	A6L0000814	MOUNTED-WALKWAY SUPPORT ALUMINIUM MOUNTED-WALKWAY SUPPORT ALUMINIUM SUPPORT DE PASSERELLE MONTÉE ALUMINIUM
	A6L0000816	LOOPBORDES MONTAGESTEUN WALKWAY SUPPORT BRACKET



	Article	Description
	A6L0000822	MONTAGEPLAAT>GASVEER MOUNTING PLATE>GAS SPRING MONTAGEPLATTE>GASFEDER PLAQUE DE MONTAGE>RESSORT À GAZ
	A6L0000902	PIJLERSTEUN PILLAR SUPPORT SÄULENUNTERSTÜTZUNG SOUTIEN PILIER
	A6L0000908	BOVENSTE RAIL TOP RAIL OBERSCHIENE RAIL SUPÉRIEUR
	A6L0000911	BALUSTER VERLENGING HANDRAIL BALUSTEREXTENSION HANDRAIL BALUSTERVERLÄNGERTER HANDLAUF BALUSTREMAIN COURANTE D'EXTENSION
	A6L0000913	GEBOGEN BUI HANDRAIL (D26.9XT2XL=1360) HANDRAIL BENT (D26.9XT2XL=1360) GEBOGENES GELÄNDER (D26.9XT2XL=1360) MAIN COURANTE COURBEE (D26.9XT2XL = 1360)
	A6L0000941	PULLING ROD LEFT FOR WALKWAY RAILX[1700mm]
	A6L0001028	TREKSTANG-SS;L1450 PULLING ROD-SS;L1450 ZUGSTANGE-SS;L1450 TREKSTANG-SS;L1450


	Article	Description
	A6L0001079	SPECIALE BALUSTER SPECIAL BALUSTER SPEZIELLER BALUSTER BALUTRE SPÉCIAL
	A6L0001278	OPVANGRUBBER>OPVOUWBARE RAILDROP SUPPORT>OPVOUWBARE RAIL DROPSUPPORT>FOLDING RAIL Absturzsicherung>Klappschiene SUPPORT DE CHUTE > RAIL PLIANT
	A6L0001465	BALUSTER-SS;H1070;ACHTER;OPVOUWBARE HENDEL BALUSTER-SS;H1070;REAR;FOLDING LEVER BALUSTER-SS;H1070;HINTEN;KLAPPHEBEL BALUSTRE-SS;H1070;ARRIÈRE;LEVIER PLIANT

	Article	Description
	26DEK002	DEKSEL LEIDING 1 1/2" - MET DICHTING PTFE ROESTVRIJSTAAL PIPE CAP 1 1/2" - WITH PTFE SEAL - STAINLESS STEEL ROHR-KAPPE 1 1/2"- MIT PTFE-DICHTUNG - EDELSTAHL BOUCHON DE TUYAU 1 1/2 " - AVEC JOINT DE PTFE - ACIER INOXYDABLE
	28A3P0000224	ADAPTOR ROESTVRIJSTAAL 4" TW --> 4" ROSISTA ADAPTER STAINLESS STEEL 4" TW -> 4" ROSISTA ADAPTER EDELSTAHL 4" TW -> 4" ROSISTA ADAPTATEUR ACIER INOXYDABLE 4 "TW -> 4" ROSISTA
	28M2PS021A	ANTI DIEFSTAL KABEL RVS D6 S.S. (LENGHT 400MM.) ANTI-THEFT CABLE STAINLESS STEEL D6 (LENGTH 400MM.) DIEBSTAHLSCHUTZ KABEL EDELSTAHL D6 (LÄNGE 400MM.) CÂBLE ANTIVOL ACIER INOXYDABLE D6 (LONGUEUR 400MM.)
	28M3PS023A	PARKEERKOPPELING ROS NW 50 SS PARKING CLUTCH ROS NW 50 SS PARKKUPPLUNG ROS NW 50 SS EMBRAYAGE DE STATIONNEMENT ROS NW 50 SS
	35FLE004	FLENS,LAS DIN 28460 NW100 - TW3 ALUMINIUM FLANGE, WELD DIN 28460 NW100 - TW3 ALUMINIUM FLANSCH, SCHWEIßNAHT DIN 28460 NW100 - TW3 ALUMINIUM BRIDE, SOUDURE DIN 28460 NW100 - TW3 ALUMINIUM
	35FLE031	LASFLENS (4K.114) - GAT DIAMETER80+ GAT 4X11.5 STC 4K 92
	36DEK001	EINDKAP LEIDING 2" - ALUMINIUM END CAP PIPE 2"- ALUMINIUM ABSCHLUSSKAPPE ROHR 2"- ALUMINIUM TUYAU D'EXTRÉMITÉ 2 " - ALUMINIUM


	Article	Description
	46DEK002	DEKSEL, LEIDING 3" - MESSING LID, PIPE 3 "-BRASS DECKEL, ROHR 3 "-MESSING COUVERCLE, PIPE 3 "-LAITON
	46DEK003	DEKSEL, LEIDING 4" - MESSING LID, PIPE 4 "-BRASS DECKEL, ROHR 4 "-MESSING COUVERCLE, PIPE 4 "-LAITON
	57PLD001	COMPRESSORSLANG NW50, HITTEBESTENDIG 200°C, PIEK 240°C, 3 BAR (prijs p/m) COMPRESSOR HOSE NW50, HEAT-RESISTANT 200°C, PEAK 240°C, 3 BAR KOMPRESSOR-SCHLAUCH NW50, HITZEBESTÄNDIG BIS 200°C, MAX. 240°C, 3 BAR TUYAU DE COMPRESSEUR NW50, RÉISTANT À LA CHALEUR 200 ° C, PIC 240 ° C, 3 BAR
	57PLD002	COMPRESSORSLANG NW75, HITTEBESTENDIG 200°C, PIEK 240°C, 3 BAR COMPRESSORSHOSE NW75, HEAT RESISTANT 200 ° C, PEAK 240 ° C, 3 BAR KOMPRESSOREN SLANGE NW75, HITZEBESTÄNDIG 200 ° C, PEAK 240 ° C, 3 BAR COMPRESSEURS SERPENT NW75, RÉISTANT À LA CHALEUR 200 ° C, CRÊTE 240 ° C, 3 BAR
	73BDR130	ROESTVRIJSTAAL KAP VOOR VACUUMVENTIEL UNIACT 2" STAINLESS STEEL CAP FOR VACUUM VALVE UNIACT 2" EDELSTAHL KAPPE FÜR VAKUUMVENTIL UNIACT 2" BOUCHON EN ACIER INOXYDABLE POUR SOUPAPE D'ASPIRATION UNIACT 2 "
	73BDR141	OVERDRUKVENT.HEROSE 1 1/2" - 1,5 BAR OVERPRESSURE VALVE.HEROSE 1 1/2" - 1.5 BAR ÜBERDRUCKVENTIL.HEROSE 1 1/2"- 1,5 BAR SURPRESSION VALVE.HEROSE 1 1/2" - 1.5 BAR
	73BDR268	VACUUMVENTIEL PEROLO (YAK, R2",0.21 B - CE) VACUUM VALVE PEROLO (YAK, R2",0.21 B - CE) VAKUUMVENTIL PEROLO (YAK, R2",0.21 B - CE) VALVE D'ASPIRATION PEROLO (YAK, R2 ", 0.21 B - CE)


	Article	Description
	73BDR282	VACUUMVENTIEL PEROLO YAK V, R2",0.02 B,CE,FOOD ATT (ZONDER KAP) VACUUM VALVE PEROLO YAK V, R2",0.02 B,CE,FOOD ATT (WITHOUT CAP) VAKUUMVENTIL PEROLO YAK V, R2",0.02 B,CE, LEBENSMITTEL ATT (OHNE KAPPE) VANNE D'ASPIRATION PEROLO YAK V, R2 ", 0.02 B, CE, ATT. ALIMENTAIRE (SANS CAPUCHON)
	73BDR354	FORT VALE TWINACT 2 1/2", 2.95 BAR FORT VALE TWINACT 2 1/2", 2.95 BAR FORT VALE TWINACT 2 1/2", 2,95 BAR FORT VALE TWINACT 2 1/2", 2.95 BARS
	73BDR356	FORT VALE TWINACT 2 1/2", 2.0/-0.05 BAR FORT VALE TWINACT 2 1/2", 2.0/-0.05 BAR FORT VALE TWINACT 2 1/2", 2,0/-0,05 BAR FORT VALE TWINACT 2 1/2", 2.0/-0.05 BAR
	73BDR373	
	73KGL003	KIJKGLAS, GLAS, NW100 (100X120X 76) VIEW GLASS, GLASS, NW100 (100X120X 76) UHREN GLAS, GLAS, NW100 (100X120X 76) VERRE DE MONTRE, VERRE, NW100 (100X120X 76)
	73KGL034	KIJKGLAS,HOUDER,4"IG/4" (MET WITTE DICHTING) SIGHT GLASS, HOLDER,4"IG/4" (WITH WHITE SEAL) SCHAUGLAS, HALTER,4"IG/4" (MIT WEIßER DICHTUNG) JAUGE, SUPPORT, 4 "IG / 4" (AVEC JOINT BLANC)
	73KGL071	DICHTING VOOR KIJKGLAS SEALING FOR VIEWING GLASS ABDICHTUNG FÜR SICHT GLAS SCELLAGE POUR LE VERRE DE VISIONNEMENT

	Article	Description
	73KKR006	KOGELKRAAN,NW 1 1/2", MOFAANSLUITING-PN 16 HUIS:MS VERNIKKELD
	73KKR008	KOGELKRAAN, NW 1" (MOFAANSLUITING-PN 16 HUIS:MS VERNIKKELD) BALL VALVE, NW 1" (MOF CONNECTION - PN 16 HOUSING: MS NICKEL PLATED) KUGELVENTIL, NW 1" (MOF VERBINDUNG - PN 16 GEHÄUSE: MS VERNICKELT) VANNE À BOULE, NW 1 "(CONNEXION MOF - PN 16 BOÎTIER: MS NICKEL PLAQUÉ)
	73KKR026	KOGELKRAAN , NW50, 2-DELIG, 2" ROESTVRIJSTAAL (PFTE DICHING - VOLLE DOORLAAT) BALL VALVE, NW50, 2-PART, 2" STAINLESS STEEL (PFTE SEAL - FULL PASSTHROUGH) KUGELVENTIL, NW50, 2-PART, 2" EDELSTAHL (PFTE DICHUNG - FULL PASSTHROUGH) VANNE À BOULE, NW50, EN 2 PARTIES, ACIER INOXYDABLE DE 2 "(JOINT PFTE - INTÉGRAL)
	73KKR037	KOGELKRAAN,NW 100,HUIS:ALU - KOGEL:RVS BALL VALVE, NW 100, HOUSE: ALU-BALL: STAINLESS STEEL KUGELHAHN, NW 100, HAUS: ALU-KUGEL: ROSTFREIER STAHL VALVE À BILLE, NW 100, MAISON: ALU-BALL: ACIER INOXYDABLE
	73KKR039	KOGELKRAAN NW38, 2-DELIG, 1 1/2" ROESTVRIJSTAAL BALL VALVE NW38, 2-PART, 1 1/2" STAINLESS STEEL KUGELVENTIL NW38, 2-PART, 1 1/2" EDELSTAHL VANNE À BOULE NW38, EN 2 PARTIES, ACIER INOXYDABLE 1 1/2 "
	73KKR040	KOGELKRAAN, NW 25, 2-DELIG, 1" RVS (DICH.TPFE - VOLLE DOORLAAT) BALL VALVE, NW 25, 2-PART, 1" STAINLESS STEEL (SEAL PTFE - FULL PASSTHROUGH) KUGELVENTIL, NW 25, 2-PART, 1" EDELSTAHL (DICHUNG PTFE - FULL PASSTHROUGH) VANNE À BOULE, NW 25, EN 2 PARTIES, 1 "ACIER INOXYDABLE (JOINT PTFE - INTEGRAL)
	73KKR041	KOGELKRAAN NW15, 2-DELIG, 1/2" ROESTVRIJSTAAL BALL VALVE NW15, 2-PART, 1/2" STAINLESS STEEL KUGELVENTIL NW15, 2-PART, 1/2" EDELSTAHL VANNE À BOULE NW15, EN 2 PARTIES, 1/2 "ACIER INOXYDABLE


	Article	Description
	73KKR042	KOGELKRAAN,NW 20, 2-DELIG, 3/4" RVS (BV2-11 DN 3/4", DICTH.PTFE - VOLLE DOORLAAT) BALL VALVE, NW 20, 2-PART, 3/4" STAINLESS STEEL (BV2-11 DN 3/4", SEAL PTFE - FULL PASSTHROUGH) KUGELVENTIL, NW 20, 2-PART, 3/4" EDELSTAHL (BV2-11 DN 3/4", DICHUNG PTFE - FULL PASSTHROUGH) VANNE À BOULE, NW 20, EN 2 PARTIES, ACIER INOXYDABLE 3/4 "(BV2-11 DN 3/4", JOINT PTFE - INTÉGRAL)
	73KOL005	SAMENGESTELDE KOLLEKTOR 3 " RVS (L = 590) ASSEMBLED COLLECTOR 3 " STAINLESS STEEL (L = 590) ZUSAMMENGEBAUTER SAMMLER 3 " EDELSTAHL (L = 590) COLLECTEUR COMPOSITE 3 "ACIER INOXYDABLE (L = 590)
	73KRO036	HENDEL MET TIR-BLOK.PL. VLINDERKLEP BURGMER HANDLE WITH TIR-BLOCK.PL. BUTTERFLY VALVE BURGMER GRIFF MIT TIR-BSCHLOSS.PL. DROSSELKLAPPE BURGMER POIGNÉE AVEC TIR-BLOCK.PL. BURGMERE VALVE PAPILLON
	73KRO037	HENDEL VEERBELAST (DN15-50) SPRING-LOADED HANDLE (DN15-50) GEFEDERTER GRIFF (DN15-50) POIGNÉE À RESSORT (DN15-50)
	73KRO056	FORTY MAIN O-RING (VOOR 73BDR132) 5005-118 FORTY MAIN O-RING (FOR 73BDR132) 5005-118 FORTY MAIN O-RING (FÜR 73BDR132) 5005-118 FORTY O-RING PRINCIPAL (POUR 73BDR132) 5005-118
	73KRO140	HEFBOOM VERBINDING VLINDERKLEP/KABELBEDIENING HEFBOOM VERBINDING VLINDERKLEP/KABELBEDIENING HEBELANSCHLUSS ABSPERRKLAPPE/SEILANTRIEB CONNEXION À LEVIER VANNE PAPILLON/ACTIONNEUR À CÂBLE
	73KRO141	BOUT VOOR HEFBOOM VERBINDING VLINDERKLEP/KABELBEDIENING BOLT FOR LEVER CONNECTION BUTTERFLY VALVE/CABLE CONTROL BOLZEN FÜR HEBELANSCHLUSS ABSPERRKLAPPE/SEILSTEUERUNG BOULON POUR CONNEXION DU LEVIER VANNE PAPILLON/COMMANDE PAR CÂBLE

	Article	Description
	73KRO142	RONDEL VOOR HEFBOOM VERBINDING VLINDERKLEP/KABELBEDIENING RONDEL FOR LEVER CONNECTION BUTTERFLY VALVE/CABLE CONTROL RONDELL FÜR HEBELANSCHLUSSKLAPPE/SEILANTRIEB RONDELLE POUR CONNEXION À LEVIER VANNE PAPILLON/ACTIONNEUR À CÂBLE
	73LPC009	PISTOOL GOSSLER ZH 50 MK2"D
	73PLK008	PLUGKRAAN GR 2" MESSING PLUG TAP GR 2" BRASS STECKER GR 2" MESSING ROBINET PLUG GR 2 "LAITON
	73SWI010	SWIVEL 2" BSP INWENDIG / UITWENDIG SWIVEL 2" BSP INTERNAL/EXTERNAL DREHGELENK 2" BSP INTERN/EXTERN PIVOT 2 "BSP INTERNE / EXTERNE
	73TSK015	TERUGSLAGKLEP,NW 2" - IG, 20.0626
	73TSK028	TERUGSLAGKLEP NW2 IG,EUROPA CHECK VALVE NW2 IG,EUROPA RÜCKSCHLAGVENTIL NW2 IG,EUROPA SOUPAPE DE RETOUR NW2 IG, EUROPE
	73TSK039	TERUGSLAGKLEP,MONDEO,2",ROESTVRIJSTAAL CHECK VALVE,MONDEO,2", (STAINLESS STEEL) RÜCKSCHLAGVENTIL,MONDEO,2", (EDELSTAHL) SOUPAPE DE RETOUR, MONDEO, 2 ", (ACIER INOXYDABLE)

	Article	Description
	73VLK005	VLINDERKLEP BURGMER NW100 ,TW - DICHTING RVS BUTTERFLY VALVE BURGMER NW100 ,TW - SEAL STAINLESS STEEL DROSSELKLAPPE BURGMER NW100 ,TW - DICHTUNG EDELSTAHL SOUPAPE PAPILLON BURGMER NW100, TW - ACIER INOXYDABLE
	73VLK016	VLINDERKLEP BURGMER NW150 , 8XSTC.210 - ROESTVRIJSTAAL BUTTERFLY VALVE BURGMER NW150 , 8XSTC.210 - STAINLESS STEEL DROSSELKLAPPE BURGMER NW150 , 8XSTC.210 - EDELSTAHL SOUPAPE PAPILLON BURGMER NW150, 8XSTC.210 - ACIER INOXYDABLE
	73VLK062	VLINDERKLEP, TYPE VV-LAG DN300 - VENTIL BUTTERFLY VALVE, TYPE VV-LAG DN300 - VENT DROSSELKLAPPE, TYP VV-LAG DN300 - VENT SOUPAPE PAPILLON, TYPE VV-LAG DN300 - VALVE
	73VLK063	VLINDERKLEP NW50, 2 X R2" BUITENDRAAD, ROESTVRIJSTAAL 304 BUTTERFLY VALVE NW50, 2XR2" EXTERNAL WIRE, STAINLESS STEEL 304 DROSSELKLAPPE NW50, 2XR2" EXTERN DRAHT, EDELSTAHL 304 SOUPAPE PAPILLON NW50, 2XR2 "FILETAGE EXTÉRIEUR, ACIER INOXYDABLE 304
	73VLK107	VLINDERKLEP NW50 , S+R2"IG, ROESTVRIJSTAAL 304 BUTTERFLY VALVE NW50 , S+R2"IG, STAINLESS STEEL 304 DROSSELKLAPPE NW50 , S+R2"IG, EDELSTAHL 304 SOUPAPE PAPILLON NW50, S + R2 "IG, ACIER INOXYDABLE 304
	73VLK148	VLINDERKLEP BURGMER NW150 ,8XSTC.210 PERBUNAN WIT BUTTERFLY VALVE BURGMER NW150, 8XSTC.210 PERBUNAN WHITE DROSSELKLAPPE BURGMER NW150, 8XSTC.210 PERBUNAN WEIS SOUPAPE PAPILLON BURGMER NW150, 8XSTC.210 PERBUNAN BLANC
	73VLK265	VLINDERKLEP BURGMER NW100 , TW (DICHTING: PERBUNAN WIT MET 'FDA' ATTEST) BUTTERFLY VALVE BURGMER NW100 , TW DROSSELKLAPPE BURGMER NW100 , TW SOUPAPE PAPILLON BURGMER NW100, TW


	Article	Description
	73VLK314	VLINDERKLEP NW50, 2 X R2" BUITENDRAAD, ROESTVRIJSTAAL 304 BUTTERFLY VALVE NW50, 2 X R2 "OUTER WIRE, STAINLESS STEEL 304 SCHMETTERLINGSVENTIL NW50, 2 X R2 "ÄUSSERER DRAHT, EDELSTAHL 304 SOUPAPE DE PAPILLON NW50, 2 X R2 "FIL EXTERIEUR, ACIER INOXYDABLE 304
	73VLK353	VLINDERKLEP,BURGMER,NW150,8XSTC.210 TYPE N,KLEP EN AS:RVS-DICHTING RVS (VA/VA),INVERS HANDLE BUTTERFLY VALVE,BURGMER,NW150,8XSTC.210TYPE N,VALVE AND SHAFT:STAINLESS STEEL SEAL STAINLESS STEEL (VA/VA),INVERSE HANDLE ABSPERRKLAPPE,BURGMER,NW150,8XSTC.210TYP N, VENTIL UND WELLE: EDELSTAHLDICHTUNG (VA/VA), UMGEKEHRTER GRIFF VANNE PAPILLON,BURGMER,NW150,8XSTC.210TYPE N,VANNE ET ARBRE:JOINT EN ACIER INOXYDABLE (VA/VA),POIGNÉE INVERSÉE
	74GUI007	KOPPELING , GUILLEMIN , DEKSEL, ALUMINIUM NW 80 COUPLING, GUILLEMIN, LID, ALUMINIUM NW 80 KUPPLUNG, GUILLEMIN, LID, ALUMINIUM NW 80 RACCORD, GUILLEMIN, COUVERCLE, ALUMINIUM NW 80
	74GUI012	KOPPELING GUILLEMIN, ALUMINIUM NW 50,2"K INWENDIGEDRAAD COUPLING GUILLEMIN, ALUMINIUM NW 50,2"K FEMALE THREAD KUPPLUNG GUILLEMIN, ALUMINIUM NW 50,2"K INNENGEWINDE RACCORD GUILLEMIN, ALUMINIUM NW 50,2 "K FILETAGE FEMELLE
	74GUI013	KOPPELING GUILLEMIN, ALUMINIUM NW50, 2" K INWEDIGE DRAAD COUPLING GUILLEMIN, ALUMINIUM NW50, 2" K FEMALE THREAD KUPPLUNG GUILLEMIN, ALUMINIUM NW50, 2" K INNENGEWINDE RACCORD GUILLEMIN, ALUMINIUM NW50, 2 "K FILETAGE FEMELLE
	74GUI019	KOPPELING GUILLEMIN ALUMINIUM NW80,3"K INWENDIGE DRAAD MET VERGRENDELING COUPLING GUILLEMIN ALUMINIUM NW80,3"K FEMALE THREAD WITH LOCK KUPPLUNG GUILLEMIN ALUMINIUM NW80,3"K INNENGEWINDE MIT SCHLOSS RACCORD GUILLEMIN ALUMINIUM NW80,3 "K FILETAGE FEMELLE AVEC SERRURE
	74GUI091	GUILLIMIN 3",INWENDIGEDRAAD, ALU, NW80, MET GRENDDEL GUILLIMIN 3 ", INTERNAL THREAD, ALU, NW80, WITH GRINDLE GUILLIMIN 3 ", INNENGEWINDE, ALU, NW80, MIT GRINDLE GUILLIMIN 3 ", FILETAGE INTÉRIEUR, ALU, NW80, AVEC GRINDLE






	Article	Description
	74GUI092	GUILLEMIN, 4", INWENDIGE DRAAD ,ALU,NW100,MET GRENDEL EN WITTE PAKKING GUILLEMIN, 4 ", INTERNAL THREAD, ALU, NW100, WITH GRENDEL AND WHITE GASKET GUILLEMIN, 4 ", INNENGEWINDE, ALU, NW100, MIT GRENDEL UND WEIßER DICHTUNG GUILLEMIN, 4 ", FILETAGE INTÉRIEUR, ALU, NW100, AVEC GRENDEL ET JOINT BLANC
	74GUI095	GUILLEMIN,4",UITWENDIGE DRAAD ,ALU,NW100,MET GRENDEL MET WITTE PAKKING GUILLEMIN, 4 ", EXTERNAL THREAD, ALU, NW100, WITH LOCKING WITH WHITE GASKET GUILLEMIN, 4 ", AUßENGEWINDE, ALU, NW100, MIT VERRIEGELUNG MIT WEIßER DICHTUNG GUILLEMIN, 4 ", FILETAGE EXTÉRIEUR, ALU, NW100, AVEC VERROUILLAGE AVEC JOINT BLANC
	74KPS009	SPANSCHAAL ,ALUMINIUM MET BOUTEN IN ROESTVRIJSTAAL (ND=50 / WD=8) CLAMP, ALUMINIUM WITH BOLTS IN STAINLESS STEEL (ND=50 / WD=8) KLEMME, ALUMINIUM MIT SCHRAUBEN IN EDELSTAHL (ND=50 / WD=8) COLLIER, ALUMINIUM AVEC BOULONS EN ACIER INOXYDABLE (ND = 50 / WD = 8)
	74KPS010	SPANSCHAAL, ALUMINIUM MET BOUTEN IN ROESTVRIJSTAAL (ND=75 / WD=8) CLAMP, ALUMINIUM WITH BOLTS IN STAINLESS STEEL (ND=75 / WD=8) KLEMME, ALUMINIUM MIT SCHRAUBEN IN EDELSTAHL (ND=75 / WD=8) COLLIER, ALUMINIUM AVEC BOULONS EN ACIER INOXYDABLE (ND = 75 / WD = 8)
	74KSS049	SLANGPILAAR, KOPPELING 50X8 NW50 R2" AG HOSE PIPE, CLUTCH 50X8 NW50 R2" AG SCHLAUCHROHR, KUPPLUNG 50X8 NW50 R2" AG TUYAU DE TUYAU D'EMBRAYAGE 50X8 NW50 R2" AG
	74LUD001	KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, R1" INWENDIG CLAW COUPLING, LUDECK, STAINLESS STEEL, R1" FEMALE KLAUENKUPPLUNG, LUDECK, EDELSTAHL, R1" WEIBLICH RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, R1 "FEMELLE
	74LUD002	KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, BLIND CLAW COUPLING, LUDECK, STAINLESS STEEL, BLIND KLAUENKUPPLUNG, LUDECK, EDELSTAHL, BLIND RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, BORGNE



	Article	Description
	74LUD003	KLAUWKOPPELING, LUDECK, ROESTVRIJSTAAL, R1" UITWENDIG CLAW COUPLING, LUDECK, STAINLESS STEEL, R1" MALE KLAUENKUPPLUNG, LUDECK, EDELSTAHL, R1" MÄNNLICH RACCORD A GRIFFES, LUDECK, ACIER INOXYDABLE, R1 "MALE
	74ROS005	BLINDMOER EINDKAP, DIN11851 FB, NW50 BLIND NUT END CAP, DIN11851 FB, NW50 BLINDNIETENDKAPPE, DIN11851 FB, NW50 CAPUCHON DE NOISETTE, DIN11851 FB, NW50
	74ROS014	INSCHROEFKEGELSTUK, DIN11851 DT, NW50, 1.4307 SCREW-IN CONE PIECE, DIN11851 DT, NW50, 1.4307 EINSCHRAUB KEGELSTÜCK, DIN11851 DT, NW50, 1.4307 VIS CONIQUE, DIN11851 DT, NW50, 1.4307
	74ROS016	INSCHROEFDRAADSTUK, DIN11851 CT, NW50, 1.4307 SCREW-IN THREAD PIECE, DIN11851 CT, NW50, 1.4307 EINSCHRAUB GEWINDESTÜCK, DIN11851 CT, NW50, 1.4307 VIS FILETÉE, DIN11851 CT, NW50, 1.4307
	74ROS026	LASDRAADSTUK, DIN11851 SC, NW80 (85X2) WELDING WIRE, DIN11851 SC, NW80 (85X2) SCHWEIßDRAHT, DIN11851 SC, NW80 (85X2) FIL DE SOUDAGE DIN11851 SC, NW80 (85X2)
	74ROS028	LASDRAADSTUK, DIN11851 SC, NW100 (104X2) WELDING WIRE, DIN11851 SC, NW100 (104X2) SCHWEIßDRAHT, DIN11851 SC, NW100 (104X2) FIL DE SOUDAGE, DIN11851 SC, NW100 (104X2)
	74ROS037	LASKEGELSTUK, DIN11851 SD, NW100, 1.4307 WELD CONE PIECE, DIN11851 SD, NW100, 1.4307 WELD KEGELSTÜCK, DIN11851 SD, NW100, 1.4307 PIÈCE DE CÔNE DE SOUDAGE, DIN11851 SD, NW100, 1.4307






	Article	Description
	74ROS042	OPSCHROEFDRAADSTUK, DIN11851 CT, NW50, 1.4307 SCREW ON THREAD PIECE, DIN11851 CT, NW50, 1.4307 ANSCHRAUBBARES GEWINDESTÜCK, DIN11851 CT, NW50, 1.4307 VIS SUR PIECE DE FILETAGE, DIN11851 CT, NW50, 1.4307
	74ROS045	OPSCHROEFKEGELSTUK, DIN11851 DT, NW50, 1.4307 SCREW ON CONE PIECE, DIN11851 DT, NW50, 1.4307 ANSCHRAUBBARES KEGELSTÜCK, DIN11851 DT, NW50, 1.4307 VIS SUR PIÈCE DE CÔNE, DIN11851 DT, NW50, 1.4307
	74ROS047	SLANGKEGELSTUK (DIN11851, NW50, 1.4307) HOSE CONE PIECE (DIN11851, NW50, 1.4307) SCHLAUCH KEGELSTÜCK (DIN11851, NW50, 1.4307) PIÈCE DE CÔNE DE TUYAU (DIN11851, NW50, 1.4307)
	74ROS050	WARTELMOER, DIN11851 F, NW50, 1.4307 SWIVEL NUT, DIN11851 F, NW50, 1.4307 DREHMUTTER, DIN11851 F, NW50, 1.4307 ECROU PIVOTANT DIN11851 F, NW50, 1.4307
	74ROS058	BLINDMOER FB, NW100, PE-WIT, KNOP (DIN11851) BLIND NUT FB, NW100, PE-WHITE, KNOP (DIN11851) BLINDMUTTER FB, NW100, PE-WEIß, KNOP (DIN11851) ECROU BORGNE FB, NW100, PE-BLANC, KNOP (DIN11851)
	74ROS079	OPSCHROEFDRAADSTUK, DIN11851 CT, NW80 SCREW THREAD, DIN11851 CT, NW80 SCHRAUBGEWINDE, DIN11851 CT, NW80 VIS THREAD, DIN11851 CT, NW80
	74ROS086	BLINDMOER, DIN11851 FB, NW50, 1.4307, KEGEL (MET KETTING) BLIND NUTS, DIN11851 FB, NW50, 1.4307, KEGEL (MIT KETTE) BLINDMUTTERN, DIN 11851 FB, NW50, 1.4307, KEGEL (MIT KETTE) ECROUS AVEUGLES, DIN11851 FB, NW50, 1.4307, CONE (AVEC CHAÎNE)





	Article	Description
	74ROS104	LASDRAADSTUK, DIN11851 SC, NW50, 1.4307 (53X1.5) WELDING WIRE, DIN11851 SC, NW50, 1.4307 (53X1.5) SCHWEIßDRAHT, DIN11851 SC, NW50, 1.4307 (53X1.5) FIL DE SOUDAGE, DIN11851 SC, NW50, 1.4307 (53X1.5)
	74STO092	STORZ, VAST, 4" ,INWENDIGE DRAAD ,ALUMINIUM, NW110, NOK.133 (PFTE / FOOD) STORZ, FIXED, 4" ,INTERNAL THREAD ,ALUMINIUM, NW110, NOK.133 (PFTE / FOOD) STORZ, FIX, 4" ,INTERNER THREAD ,ALUMINIUM, NW110, NOK.133 (PFTE / LEBENSMITTEL) STORZ, FIXE, 4 " , FILETAGÉ INTERNE, ALUMINIUM, NW110, NOK.133 (PFTE / ALIMENTATION)
	74STO093	STORZ, VAST, 4" ,UITWENDIGE DRAAD, ALUMINIUM, NW110, NOK.133 STORZ, FIXED, 4" , EXTERNAL THREAD, ALUMINIUM, NW110, NOK.133 STORZ, FIX, 4" , AUßENGEWINDE, ALUMINIUM, NW110, NOK.133 STORZ, FIXE, 4 " , FILETAGÉ EXTERNE, ALUMINIUM, NW110, NOK.133
	74STO095	STORZ, BLINDKAP, ALU, NW100, NOK.115, FOOD STORZ, BLINDKAP, ALU, NW100, NOK. 115, FOOD STORZ, BLINDKAP, ALU, NW100, NOK. 115, LEBENSMITTEL STORZ, BLINDKAP, ALU, NW100, NOK. 115, NOURRITURE
	74STO096	STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, BLIND, ALUMINIUM NW110 NOK.133 STORZ, AVEUGLE, ALUMINIUM NW110 NOK.133
	74STO098	STORZ, VAST, 3" , INWENDIGE DRAAD, ALUMINIUM, NW75, NOK.89 (PFTE / WIT) STORZ, FIXED, 3" , INTERNAL THREAD, ALUMINIUM, NW75, NOK.89 (PFTE / WHITE) STORZ, FIX, 3" , INTERNER THREAD, ALUMINIUM, NW75, NOK.89 (PFTE / WEIß) STORZ, FIXE, 3 " , FILETAGÉ INTERNE, ALUMINIUM, NW75, NOK.89 (PFTE / BLANC)
	74STO099	STORZ, VAST, 3" , UITWENDIGE DRAAD, ALUMINIUM, NW75, NOK.89 STORZ, FIXED, 3" , EXTERNAL THREAD, ALUMINIUM, NW75, NOK.89 STORZ, FIX, 3" , AUßENGEWINDE, ALUMINIUM, NW75, NOK.89 STORZ, FIXE, 3 " , FILETAGÉ EXTERNE, ALUMINIUM, NW75, NOK.89





	Article	Description
	74STO100	STORZ, BLIND, ALUMINIUM, NW75, NOK.89
		STORZ, BLIND, ALUMINIUM, NW75, NOK.89
		STORZ, BLIND, ALUMINIUM, NW75, NOK.89
		STORZ, VOLET, ALUMINIUM, NW75, NOK.89
	74STO102	STORZ, VAST, 2", INWENDIGE DRAAD, ALUMINIUM, NW52, NOK.66 (PFTE WIT)
		STORZ, FIXED, 2", INTERNAL THREAD, ALUMINIUM, NW52, NOK.66 (PFTE WHITE)
		STORZ, FIX, 2", INTERNER THREAD, ALUMINIUM, NW52, NOK.66 (PFTE WEIß)
		STORZ, FIXE, 2 ", FILETAGE INTERNE, ALUMINIUM, NW52, NOK.66 (PFTE BLANC)
	74STO103	STORZ,VAST, 2", UITWENDIGE DRAAD, ALUMINIUM, NW52, NOK.66 (SILI WIT)
		STORZ, FIXED, 2", EXTERNAL THREAD, ALUMINIUM, NW52, NOK.66 (SILI WHITE)
		STORZ, FIX, 2", AUßENGWINDE, ALUMINIUM, NW52, NOK.66 (SILI WEIß)
		STORZ, FIXE, 2 ", FILETAGE EXTERNE, ALUMINIUM, NW52, NOK.66 (BLANC SILI)
	74STO105	STORZ , BLIND, ALUMINIUM, NW52, NOK.66
		STORZ , BLIND, ALUMINIUM, NW52, NOK.66
		STORZ , BLIND, ALUMINIUM, NW52, NOK.66
		STORZ, VOLET, ALUMINIUM, NW52, NOK.66
	74STO107	STORZ, SLANG, ALUMINIUM NW52, NOK.66 (SILI WIT)
		STORZ, HOSE, ALUMINIUM NW52, NOK.66 (SILI WHITE)
		STORZ, HOSE, ALUMINIUM NW52, NOK.66 (SILI WEIß)
		STORZ, TUYAU, ALUMINIUM NW52, NOK.66 (BLANC SILI)
	74STO108	STORZ,SLANG,ALU,NW75,NOK.89
		STORZ, HOSE, ALUMINIUM, NW75, NOK.89
		STORZ, SCHLAUCH, ALUMINIUM, NW75, NOK.89
		STORZ, TUYAU, ALUMINUM, NW75, NOK.89
	74TWK001	TW KOPPELING, BLINDDEKSEL MB 80 SS , ROESTVRIJSTAAL
		TW COUPLING, BLIND LID MB 80 SS , STAINLESS STEEL
		TW KUPPLUNG, BLINDDECKEL MB 80 SS , EDELSTAHL
		TW RACCORD, COUVERCLE BORGNE MB 80 SS, ACIER INOXYDABLE

	Article	Description
	74TWK002	KOPPELING, TW, BLINDDEKSEL MB 50 SS,RVS COUPLING , TW, BLIND LID MB 50 SS, STAINLESS STEEL KUPPLUNG, TW, BLINDDECKEL MB 50 SS, EDELSTAHL EMBAYAGE, TW, COUVERCLE BORGNE MB 50 SS, ACIER INOXYDABLE
	74TWK005	KOPPELING, TW, BLINDSTOP VB 50 SS, RVS COUPLING , TW, BLIND STOP VB 50 SS, STAINLESS STEEL KUPPLUNG, TW, BLIND STOP VB 50 SS, EDELSTAHL EMBAYAGE, TW, BLIND STOP VB 50 SS, INOX
	74TWK008	KOPPELING TW MANNELIJK VK 80 - 3" INWENDIG SS - ROESTVRIJSTAAL COUPLING TW MALE VK 80 - 3" INTERNALLY SS - STAINLESS STEEL KUPPLUNG TW MÄNNLICH VK 80 - 3" INTERN SS - EDELSTAHL RACCORD TW MALE VK 80 - 3 " EN INTERNE SS - ACIER INOXYDABLE
	74TWK009	KOPPELING, TW, MANNELIJK VK 50 - 2" INWENDIG SS - RVS COUPLING , TW, MALE VK 50-2 " INTERNALLY SS-STAINLESS STEEL KUPPLUNG, TW, MÄNNLICH VK 50-2 " INTERN SS- EDELSTAHL EMBAYAGE, TW, MÅLE VK 50-2 " EN INTERNE SS-VR
	74TWK011	TW KOPPELING ,MET SPANRING/HENDEL TW-M 50 SS, RVS TW COUPLING, WITH TENSION RING/HANDLE TW-M 50 SS, STAINLESS STEEL TW KUPPLUNG, MIT SPANNRING/ GRIFF TW-M 50 SS, EDELSTAHL TW RACCORD, AVEC ANNEAU DE TENSION / POIGNEE TW-M 50 SS, ACIER INOXYDABLE
	74TWK015	TW KOPPELING BLINDSTOP VB 80 ALUMINIUM TW COUPLING BLIND STOP VB 80 ALUMINIUM TW KUPPLUNG BLINDSTOPFEN VB 80 ALUMINIUM TW RACCORD BUTEE VB 80 ALUMINIUM
	74TWK037	KOPPELING TW, DICHTRINGSTUK, TW-K 50 SS-2" AG, RVS COUPLING TW, SEALED RING, TW-K 50 SS-2 "AG, STAINLESS STEEL KUPPLUNG TW, SEALED RING, TW-K 50 SS-2 "AG, EDELSTAHL EMBAYAGE TW, ANNEAU SCELLÉ, TW-K 50 SS-2 "AG, ACIER INOXYDABLE


	Article	Description
	74VUL159	VULKOPPELING API 4" (ALU +KIJKGLAS) ENTER COUPLING API 4 "(ALU + VIEWING GLASS) ENTER KUPPLUNG API 4 "(ALU + SICHT GLAS) ENTER EMBRAYAGE API 4 "(ALU + GLASS VIEWING)
	74VUL170	KIJKGLAS SET VOOR 74VUL159 LOOK GLASS SET FOR 74VUL159 LOOK GLAS SET FÜR 74VUL159 LOOK SET DE VERRE POUR 74VUL159
	77VLR319	DICHTING;PTFE;VOOR DEKSEL 1 1/2" FV 10300PS 10326P SEAL;PTFE;FOR COVER 1 1/2" FV 10300PS10326P PTFE-Dichtung für Deckel 1 1/2" FV 10300PS10326P JOINT PTFE POUR COUVERCLE 1 1/2" FV 10300PS10326P
	79KAB012	ANTI DIEFSTAL KABEL MET PVC TBV APPANDAGES (2X OOGJE / TOTAAL LENGTE 200MM) ANTI-THEFT CABLE WITH PVC FOR APPENDAGES (2X EYE/ TOTAL LENGTH 200MM) DIEBSTAHLSICHERUNGSKABEL MIT PVC FÜR ANHÄNGE (2X ÖSE/ TOTAL LÄNGE 200MM) CABLE ANTI-VOL AVEC PVC POUR APPENDICES (2X OEILLETS / LONGUEUR TOTALE 200MM)
	A3L0001665	PARKEERKOPPELING STO NW52 ALU PARKING CLUTCH STO NW52 ALU PARKKUPPLUNG STO NW52 ALU EMBAYAGE DE STATIONNEMENT STO NW52 ALU
	A3L0003963	BLINDKAP>TIR OOG BLINDHOOD>TIR EYE Blindheit > müdes Auge Aveugle>ŒIL TIR
	A3P0000749	AFDEKPLAAT>DRUKUITLAAT COVER PLATE>PRESSURE OUTLET ABDECKPLATTE>DRUCKAUSLASS PLAQUE DE COUVERCLE>SORTIE DE PRESSION

	Article	Description
	A3P0000972	KIJKGAT-ALU;NW100 PEEPHOLE-ALU;NW100 Guckloch-Alu;NW100 Judas-ALU;NW100
	A3P0001869	HOUDER>FILTER-ALU;DRAAD[4\";BINNEN];STO[NW100] HOLDER>FILTER-ALU;THREAD[4\";INNER];STO[NW100] HALTER>FILTER-ALU;GEWINDE[4\";INNEN];STO[NW100] PORTE>FILTRE-ALU;FIL[4\";INTÉRIEUR];STO[NW100]
	A3P0002132	ADAPTER-SS;FLENS[NW100;PCD 150;8x11];SMS[NW104] ADAPTER-SS;FLANGE[NW100;PCD 150;8x11];SMS[NW104] ADAPTER-SS;FLANSCH[NW100;PCD 150;8x11];SMS[NW104] ADAPTATEUR-SS;BRIDE[NW100;PCD 150;8x11];SMS[NW104]
	A6I0000116	RVS KIST VLINDERKLEPRVS DOOS VLINDERKLEP SS BOX BUTTERFLY VALVE SS-KASTEN-ABSCHLAGVENTIL VANNE PAPILLON BOÎTE SS
	A6L0000710	FLENSDEKSEL RVS FLANGE COVER SS FLANSCHABDECKUNG SS COUVERCLE DE BRIDE SS
	A6L0000712	DEKSEL RVS D200 COVER SS D200 ABDECKUNG SS D200 COUVERCLE SS D200
	A6L0000714	BESCHERMKAP VOOR EINDKOPPELING END COUPLING CAP ENDE KUPPLUNGS KAPPE EMBOUT D'ACCOUPLEMENT


	Article	Description
	A6P0000086	LOSBOCHT RVS STO NW110/ROS NW100 VERLENGD BYPASS ROS NW52 DISCHARGE STAINLESS STEEL STO NW110/ROS NW100 EXTENDED BYPASS ROS NW52 FREIGABE EDELSTAHL STO NW110/ROS NW100 ERWEITERT BYPASS ROS NW52 DÉBLOCAGE EN ACIER INOXYDABLE STO NW110/ROS NW100 PROLONGÉ BYPASS ROS NW52
	A6P0000261	COLLECTOR-RVS;2";INCL 2x2" COLLECTOR-STAINLESS STEEL;2";INCL 2x2" KOLLEKTOR-EDELSTAHL;2";INCL. 2x2" COLLECTEUR-ACIER INOXYDABLE;2";INCL 2x2"
	A6P0000264	DRAADSTUK-RVS;DIA60,3X6DX750L;G2" THREADED PIECE-STAINLESS STEEL;DIA60.3X6DX750L;G2" GEWINDESTÜCK-EDELSTAHL;DIA60,3X6DX750L;G2" PIÈCE FILETÉE-ACIER INOXYDABLE;DIA60.3X6DX750L;G2" PIÈCE FILETÉE-ACIER INOXYDABLE;DIA60.3X6DX750L;G2"
	A6P0000276	BOCHT-RVS[G2"A;180GR;G2"A] BEND-STAINLESS STEEL[G2"A;180GR;G2"A] BIEGE-EDELSTAHL[G2"A;180GR;G2"A] COUDE-ACIER INOXYDABLE[G2"A;180GR;G2"A]
	A6P0000381	COLLECTOR-RVS;2";INCL 2X2" COLLECTOR-RVS;2";INCL 2X2" OVERDR. VENT. AANSL. 1-1/2"; ZIJTAK MET MAN. COLLECTOR-Stainless Steel;2";INCL 2X2" COLLECTOR-Stainless Steel;2";INCL 2X2" TRANSFER FAN CONNECTION 1-1/2"; SIDE BRANCH WITH MAN. KOLLEKTOR-Edelstahl;2";INCL. 2X2" KOLLEKTOR-Edelstahl;2";INCL. 2X2" ANSCHLUSS DES TRANSFERVENTILATORS 1-1/2"; SEITIGER AAST MIT MANN. COLLECTEUR-Acier inoxydable;2";INCL 2X2" COLLECTEUR-Acier inoxydable;2";INCL 2X2" CONNEXION DU VENTILATEUR DE TRANSFERT 1-1/2"; BRANCHE LATÉRALE AVEC HOMME.
	A6P0000419	COLLECTOR-RVS;2"; COLLECTOR-STAINLESS STEEL;2"; KOLLEKTOR-EDELSTAHL;2"; COLLECTEUR-ACIER INOXYDABLE;2"; COLLECTEUR-ACIER INOXYDABLE;2";
	A6P0000499	COLLECTOR[SS;3";VERTICAAL] VERZAMELAAR[SS;3";VERTICAAL] COLLECTOR[SS;3";VERTICAL] SAMMLER[SS;3";VERTIKAL] COLLECTEUR[SS;3";VERTICAL]

	Article	Description
	A6P0000506	COLLECTOR[SS;3";VERTICAAL] ELEKTROPOLIJST COLLECTOR[SS;3";VERTICAL]ELECTROPOLISHED SAMMLER[SS;3";VERTIKAL]ELEKTROPOLIERT COLLECTEUR[SS;3";VERTICAL]ÉLECTROPOLI
	A6P0000583	PARKEERKOPPELING;STO NW52 GESCHROEFD PARKING COUPLING; STO NW52BOLTED Parkkupplung; STO NW52Verschraubt ATTELAGE DE STATIONNEMENT ; STO NW52VISSÉ
	A6P0000606	LUCHTLEIDING;RVS;2";INCL 2x2" OVERDR.VENT.AANSL. 1-1/2";ZIJTAK MET MAN. AIR LINE;Stainless Steel;2";INCL 2x2"TRANSFER FAN CONNECTION 1-1/2";SIDE BRANCH WITH MAN. LUFTLEITUNG;Edelstahl;2";INCL. 2x2"ANSCHLUSS DES TRANSFERVENTILATORS 1-1/2";SEITIGER AAST MIT MANN. CONDUITE D'AIR;Acier inoxydable;2";INCL 2x2"CONNEXION DU VENTILATEUR DE TRANSFERT 1-1/2";BRANCHE LATÉRALE AVEC HOMME.
	A6P0000607	LUCHTLEIDING;RVS;3xG2" BOCHT 45GR;ZIJTAK AIR LINE;Stainless steel;3xG2"BEND 45 DEG;SIDE BRANCH LUFTLEITUNG;Edelstahl;3xG2"45-Grad-Biegung; Seitenzweig CONDUITE D'AIR;Acier inoxydable;3xG2"PLIER À 45 DEG ; BRANCHE LATÉRALE
	A6P0000629	BOCHT FILTERMONTAGE IN COLLECTOR[4"];90 BEND FILTER MOUNTING IN COLLECTOR[4"];90 Biegefiltermontage im Sammler[4"];90 MONTAGE DU FILTRE COUDÉ DANS LE COLLECTEUR[4"];90
	A6P0000631	COLLECTOR 4" COLLECTOR 4" SAMMLER 4" COLLECTEUR 4"

	Article	Description
	73KRO048	DICHTING 2" SILIKON - M&S VLINDERKLEP SEAL 2" SILICON - M&S BUTTERFLY VALVE DICHTUNG 2" SILIKON - M&S DROSSELKLAPPE JOINT 2 "SILICONE - VANNE PAPILLON M & S
	73KRO064	DICHTING WIT SILICON NW50 (VOOR 73VLK063) SEAL WHITE SILICON NW50 (FOR 73VLK063) DICHTUNG WEIß SILIKON NW50 (FÜR 73VLK063) JOINT BLANC SILICON NW50 (POUR 73VLK063)
	73KRO098	DICHTING VLINDERKLEP BURGMER DN 150 NBR WIT SEALING BUTTERFLY VALVE BURGMER DN 150 NBR WHITE ABSPERRKLAPPE BURGMER DN 150 NBR WEIß SCELLAGE VANNE PAPILLON BURGMER DN 150 NBR BLANC
	73MGD015	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 432, BULK (WIT) SEAL LID LAG 20X13, INTERNAL DRM 432, BULK (WHITE) MAN LOCH DICHTUNG LAG 20X13, INTERN DRM 432, BULK (WEIß) JOINT COUVERCLE LAG 20X13, DRM INTERNE 432, VRAC (BLANC)
	73MGD026	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 612, BULK (voeding, wit) SEAL LID LAG 20X13,INWENDIG DRM 612, BULK (food, WHITE) MAN LOCH DICHTUNG LAG 20X13,INWENDIG DRM 612, BULK (LEBENSMITTEL, WEIß) JOINT COUVERCLE LAG 20X13, INWENDIG DRM 612, VRAC (nourriture, BLANC)
	73MGD054	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 472, BULK, VOEDING SEAL LID LAG 20X13, INTERNAL DRM 472, BULK, FOOD MAN LOCH DICHTUNG LAG 20X13, INTERN DRM 472, BULK, LEBENSMITTEL JOINT COUVERCLE 20X13, DRM INTERNE 472, VRAC, ALIMENTAIRE
	73MGD074	DICHTING DEKSEL LAG HERTEL Ø10MM, HOL SEAL LID LAG HERTEL Ø10MM, CONCAVE MAN LOCH DICHTUNG LAG HERTEL Ø10MM, KONKAV JOINT COUVERCLE LAG HERTEL Ø10MM, CONCAVE

	Article	Description
	73MGD119	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 712, BULK (wit) SEAL LID LAG 20X13, INTERNAL DRM 712, BULK (WHITE) MAN LOCH DICHTUNG LAG 20X13, INTERN DRM 712, BULK (WEIß) JOINT COUVERCLE 20X13, DRM INTERNE 712, VRAC (BLANC)
	73MGD344	DICHTING TANK-HOL;21X18,UITLAAT(Ø600) WIT SEAL TANK-CONCAVE ;21X18, OUTLET (Ø600) WHITE DICHTUNG TANK-KONKAV ;21X18, AUSLASS (Ø600) WEIß JOINT RESERVOIR CONCAVE; 21X18, SORTIE (Ø600) BLANC
	73MGD345	DICHTING TANK-HOL (21X18 UITLAAT(Ø700) WIT, DRM 725) SEAL TANK-CONCAVE (21X18 OUTLET (Ø700) WHITE, DRM 725) DICHTUNG TANK-KONKAV (21X18 AUSLASS (Ø700) WEIß, DRM 725) JOINT RESERVOIR CONCAVE; (21X18 SORTIE (Ø700) BLANC, DRM 725)
	73MGD350	DICHTING DEKSEL LAG 20X13,INWENDIG DRM 457, BULK - WIT PREPOL SEAL LID LAG 20X13, INTERNAL DRM 457, BULK - WHITE PREPOL MAN LOCH DICHTUNG LAG 20X13, INTERN DRM 457, BULK - WEIß PREPOL CONVERCLE LAG 20X13, DRM INTERNE 457, EN VRAC - BLANC PREPOL
	77DKG003	DICHTING, KOPPELING, GUILLEMIN 3", BUNA ZWART SEAL, COUPLING, GUILLEMIN 3", BUNA BLACK DICHTUNG, KUPPLUNG, GUILLEMIN 3", BUNA SCHWARZ SEAL, RACCORD, GUILLEMIN 3 ", BUNA NOIR
	77DKR005	DICHTING, DIN11851 G, NW50, PTFE WIT (64X54X5) SEAL, DIN11851 G, NW50, PTFE WHITE (64X54X5) DICHTUNG, DIN11851 G, NW50, PTFE WEIß (64X54X5) JOINT, DIN11851 G, NW50, PTFE BLANC (64X54X5)
	77DKR009	DICHTING,DIN11851 G,NW80,PTFE WIT (95X85X5) SEAL,DIN11851 G,NW80,PTFE WHITE (95X85X5) DICHTUNG,DIN11851 G,NW80,PTFE WEIß (95X85X5) JOINT, DIN11851 G, NW80, PTFE BLANC (95X85X5)


	Article	Description
	77DKR011	DICHTING, DIN11851 G, NW100, PTFE WIT (114X104X6) SEAL, DIN11851 G, NW100, PTFE WHITE (114X104X6) DICHTUNG, DIN11851 G, NW100, PTFE WEIß (114X104X6) JOINT, DIN11851 G, NW100, PTFE BLANC (114X104X6)
	77DKR021	DICHTING,DIN11851,NW100,NBR WIT SEAL,DIN11851,NW100,NBR WHITE DICHTUNG,DIN11851,NW100,NBR WEIß JOINT, DIN11851, NW100, NBR BLANC
	77DKS021	DICHTING, KOP., STORZ, NOK.66, SILICONE WIT (HITTE BESTENDIG) SEAL, COUPLING, STORZ, NOK.66, SILICONE WHITE (HEAT RESISTANT) DICHTUNG, KUPPLUNG, STORZ, NOK.66, SILIKONE WEIß (HITZERESISTENT) JOINT, RACCORD, STORZ, NOK.66, SILICONE BLANC (RÉSISTANT À LA CHALEUR)
	77VLR012	ENVELOPPE PTFE - 90 U SHAPE ARAMIDE + NBR ENVELOPE PTFE - 90 U SHAPE ARAMIDE + NBR UMSCHLAG PTFE - 90 U FORM ARAMIDE + NBR ENVELOPPE PTFE - 90 U ARAMIDE + NBR
	77VLR013	DICHTING, FLENS, PTFE, DIAMETER175/102X 2 SEAL, FLANGE, PTFE, DIAMETER 175/102X 2 DICHTUNG, FLANSCH, PTFE, DURCHMESSER 175/102X 2 JOINT, BRIDE, PTFE, DIAMÈTRE 175 / 102X 2
	77VLR038	DICHTING, FLENS, PTFE, DIA220X100X3 SEAL, FLANGE, PTFE, DIA220X100X3 DICHTUNG, FLANSCH, PTFE, DIA220X100X3 JOINT BRIDE PTFE DIA220X100X3
	77VLR192	DICHTING VLAK, RING, D165XD108X10, WIT SEAL FLAT, RING, D165XD108X10, WHITE DICHTUNG FLACH, RING, D165XD108X10, WEIß JOINT PLAT, BAGUE, D165XD108X10, BLANC

	Article	Description
	77VLR266	DICHTING, GEMODIFICEERD PTFE, CLIPPERLON 2110, VORM: PANDA, BLAUW DIA165/50 X 2, 4X DIA18, STC125, 120Nm (M16) SEAL, MODIFIED PTFE, CLIPPERLON 2110, SHAPE: PANDA, BLUEDIA 165/50 X 2, 4X DIA18, STC125, 120Nm (M16) DICHTUNG, MODIFIZIERTES PTFE, CLIPPERLON 2110, FORM: PANDA, BLAUØ 165/50 x 2, 4 x Ø18, STC125, 120 Nm (M16) JOINT, PTFE MODIFIE, CLIPPERLON 2110, FORME: PANDA, BLEUDIA 165/50 X 2, 4X DIA18, STC125, 120Nm (M16)


	Article	Description
	66VPC069	ZIJMARKERINGSLAMP LED HELLA
		SIDE MARKING LIGHT LED HELLA
		SEITENMARKIERUNGS-LEUCHTE LED HELLA
		LUMIÈRE DE MARQUAGE LATÉRALE LED HELLA
	A7R0000141	MONTAGEPLAAT VERDEELDOOS
		DISTRIBUTION BOX MOUNTING PLATE
		MONTAGEPLATTE VERTEILERKASTEN
		PLAQUE DE MONTAGE BOÎTE DE DISTRIBUTION

	Article	Description
	28A3P0000567	FILTER MONTAGESET IN COLLECTOR FILTER MOUNTING SET IN COLLECTOR FILTER BEFESTIGUNGS-SET IM SAMMLER ENSEMBLE DE MONTAGE DE FILTRE DANS COLLECTEUR
	58M3P0173A	KAP VOOR HEROSE OVERDRUKVENTIEL 1 1/2" D39 CAP FOR HEROSE OVERPRESSURE VALVE 1 1/2" D39 KAPPE FÜR HEROSE ÜBERDRUCKVENTIL 1 1/2" D39 BOUCHON POUR SOUPE DE SURPRESSION HEROSE 1 1/2 "D39
	65M32002	3/2 WEGVENTIEL EUROPA 3/2 DIRECTIONAL CONTROL VALVE EUROPE 3/2 WEGVENTIL EUROPA 3/2 SOUPE DE COMMANDE DIRECTIONNELLE EUROPE
	65M32004	3/2 WEGKLEP 3/2 DIRECTIONAL CONTROL VALVE 3/2-WEGEVENTIL VALVE DE COMMANDE
	65M32046	3/2 VENTIEL TERUGVEER MET HENDEL, NAV 33 LES NC - 1/4" AANSLUITING 3/2 VALVE RETURN WITH HANDLE, NAV 33 LES NC - 1/4" CONNECTION 3/2 VENTILRÜCKLAUF MIT GRIFF, NAV 33 LES NC - 1/4" ANSCHLUSS 3/2 RETOUR DE SOUPE AVEC POIGNEE NAV 33 LES NC - 1/4" CONNEXION
	65M32084	3/2 WEGVENTIEL EUROPA WABCO 3/2 DIRECTIONAL CONTROL VALVE EUROPE WABCO 3/2 WEGEVENTIL EUROPA WABCO 3/2 SOUPE DE COMMANDE DIRECTIONNELLE EUROPE WABCO
	65M32086	3/2 KLEP, REXROTH, LUCHTBEDIEND, VEERRETOUR - 1/8"M. 3/2 VALVE, REXROTH, AIR-OPERATED, SPRING RETURN - 1/8" M. 3/2 VENTIL, REXROTH, LUFTBETRIEBEN, FEDERRÜCKLAUF - 1/8" M. SOUPE 3/2, REXROTH, A AIR, RETOUR A RESSORT - 1/8 "M.

	Article	Description
	65M52002	5/2 KLEP, G 1/8", LUCHT BEDIEND, VEERRETOUR 5/2 VALVE, G 1/8", AIR-OPERATED, SPRING RETURN 5/2 VENTIL, G 1/8", LUFTBETRIEBEN, FEDERRÜCKLAUF SOUPAPE 5/2, G 1/8 ", A AIR, RETOUR A RESSORT
	65MDI090	DRUK REGELAAR GD PRESSURE REGULATOR GD DRUCKREGLER GD RÉGULATEUR DE PRESSION GD
	65REB177	24N BACKUP KABEL 6 MTR ADR HALDEX 24N BACKUP CABLE 6 MTR ADR HALDEX 24N SICHERUNGSKABEL 6 MTR ADR HALDEX CABLE DE SECOURS 24N 6 MTR ADR HALDEX
	73BAP010	BODEMKLEP, PNE, PBVM 100/100 S FL 90/15P + ZEEF BOTTOM VALVE, PNE, PBVM 100/100 S FL 90 / 15P + SIEVE UNTENVENTIL, PNE, PBVM 100/100 S FL 90 / 15P + SIEVE SOUPAPE INFERIEURE PNE PBVM 100/100 S FL 90 / 15P + TAMIS
	73BDR057	OVERDRUKVENT HEROSE 1 1/2" - 0,8 BAR OVERPRESSURE VALVE HEROSE 1 1/2" - 0,8 BAR ÜBERDRUCKVENTIL HEROSE 1 1/2" - 0,8 BAR SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 0,8 BAR
	73BDR058	OVERDRUKVENTIEL HEROSE 1 1/2" - 1,8 BAR OVERPRESSURE VALVE HEROSE 1 1/2" - 1,8 BAR ÜBERDRUCKVENTIL HEROSE 1 1/2" - 1,8 BAR SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 1,8 BAR
	73BDR059	OVERDRUKVENTIEL HEROSE 1 1/2" - 2 BAR - CE OVERPRESSURE VALVE HEROSE 1 1/2" - 2 BAR - CE ÜBERDRUCKVENTIL HEROSE 1 1/2" - 2 BAR - CE SOUPAPE DE SURPRESSION HEROSE 1 1/2 "- 2 BAR - CE

	Article	Description
	73BDR062	OVERDRUKVENTIEL HEROSE 1 1/2" - 1,2 BAR OVERPRESSURE VALVE HEROSE 1 1/2" - 1,2 BAR ÜBERDRUCKVENTIL HEROSE 1 1/2" - 1,2 BAR SOUPAPE DE SURPRESSION HEROSE 1 1/2" - 1,2 BAR
	73BDR105	PNEUMATISCH ONTLUCHTINGSVENTIEL + ONDER/OVERDRUKVENTIEL PNEUMATIC VENTILATION VALVE + UNDER/OVERPRESSURE VALVE PNEUMATISCHES BELÜFTUNGSVENTIL + UNTER-/ÜBERDRUCKVENTIL SOUPAPE DE VENTILATION PNEUMATIQUE + SOUPAPE DE SURPRESSION
	73BDR292	OVERDRUKVENT.HEROSE 1 1/2" - 1 BAR OVERPRINT VENT.HEROSE 1 1/2" - 1 BAR ÜBERDRUCK VENT.HEROSE 1 1/2" - 1 BAR SURIMPRESSION VENT.HEROSE 1 1/2" - 1 BAR
	73BDR301	VACUUMVENTIEL, PEROLO YAK V, R2", 0.05 B (RVS 316L, ROOSTER, TESTKNOP)
	73BLL002	WOELER SOLIMAR 4124 , OPWOELSCHIJF (BLAUW) SOLIMAR FLAP FOR AERATION SYSTEM 4124 , TURBULENCE DISC (BLUE) SOLIMAR Klappe für Belüftungssystem 4124 , TURBULENZSCHEIBE (BLAU) VOLET SOLIMAR POUR SYSTÈME D'AÉRATION 4124, DISQUE DE TURBULENCE (BLEU)
	73BLL003	WOELER SOLIMAR 4134 , OPWOELSCHIJF (WIT) SOLIMAR FLAP FOR AERATION SYSTEM 4134 , TURBULENCE DISC (WHITE) SOLIMAR Klappe für Belüftungssystem 4134 , TURBULENZSCHEIBE (WEISS) VOLET SOLIMAR POUR SYSTÈME D'AÉRATION 4134, DISQUE DE TURBULENCE (BLANC)
	73BLL011	GELUIDSDEMPER MWSL2" UD - SINTERBRONS SOUND DAMPER MWSL2" UD - SINTERED BRONZE SCHALLDÄMPFER MWSL2" UD - SINTEROT BRONZE AMORTISSEUR DE SON MWSL2 "UD - BRONZE FRITTÉ

	Article	Description
	73BLL012	PNEUMATISCHE ROLVIBRATOR (4250 NEWTON / 22.000HZ.) PNEUMATIC ROLL VIBRATOR (4250 NEWTON / 22,000HZ) PNEUMATISCHER ROLL-VIBRATOR (4250 NEWTON / 22,000HZ) VIBRATEUR À PISTON PNEUMATIQUE (4250 NEWTON / 22,000HZ)
	73BLL025	GELUIDSDEMPER VOOR ROLVIBRATOR 73BLL012 SOUND DAMPER FOR ROLL VIBRATOR 73BLL012 SCHALLDÄMPFER FÜR ROLLVIBRATOR 73BLL012 AMORTISSEUR DE SON POUR VIBRATEUR DE ROULEMENT 73BLL012
	73BMM010	MANOMETER, 0...4 BAR, D63, G1/4" ONDER MANOMETER, 0...4 BAR, D63, G1/4" UNDER MANOMETER, 0...4 BAR, D63, G1/4" UNTERSEITE MANOMÈTRE, 0 ... 4 BAR, D63, G1 / 4 "BAS
	73BMM013	MANOMETER, 0...6 BAR, D63, G1/4" ONDER MANOMETER, 0...6 BAR, D63, G1/4" UNDER MANOMETER, 0...6 BAR, D63, G1/4" UNTERSEITE MANOMÈTRE, 0 ... 6 BAR, D63, G1 / 4 "BAS
	73BMM016	MANOMETER, 0-4 BAR, D63, G1/4" ACHTER MANOMETER, 0-4 BAR, D63, G1/4" REAR MANOMETER, 0-4 BAR, D63, G1/4" RÜCKSEITE MANOMÈTRE, 0-4 BAR, D63, G1 / 4 "ARRIÈRE
	73BMM029	MANOMETER, 0...4 BAR, D63, G1/4" LINKS MANOMETER, 0... 4 BAR, D63, G1/4 "LEFT MANOMETER, 0... 4 BAR, D63, G1/4 "LEFT MANOMÈTRE, 0... 4 BAR, D63, G1/4 "GAUCHE
	73BMM031	MANOMETER, 0...4 BAR, D63, G1/4" RECHTS (GLYCERINE) MANOMETER, 0...4 BAR, D63, G1/4" RIGHT (GLYCERINE) MANOMETER, 0...4 BAR, D63, G1/4" RECHTS (GLYZERIN) MANOMÈTRE, 0 ... 4 BAR, D63, G1 / 4 "DROIT (GLYCÉRINE)

	Article	Description
	73BMM049	MANOMETER (0...6 BAR, D63, G1/4" ACHTER) MANOMETER (0...6 BAR, D63, G1/4" REAR) MANOMETER (0...6 BAR, D63, G1/4" RÜCKSEITE) MANOMÈTRE (0 ... 6 BAR, D63, G1 / 4 "ARRIÈRE)
	73BTM003	THERMOMETER, INSTEEL, 0+120°C, DRM 63 (ROESTVRIJSTAAL - MET PASTA GEVULD) THERMOMETER, INSERTION, 0+120°C, DRM 63 (STAINLESS STEEL - FILLED WITH PASTE) THERMOMETER, EINFÜHRUNG, 0+120°C, DRM 63 (EDELSTAHL - MIT PASTE GEFÜLLT) THERMOMÈTRE, INSERTION, 0 + 120 ° C, DRM 63 (ACIER INOXYDABLE - REMPLI AVEC PÂTE)
	73FLU047	FILTER ELEMENT, LENGTE:500MM, Ø90MM (5 MICRON) FILTER ELEMENT, LENGTH: 500MM, Ø90MM (5 micron) FILTERELEMENT, LÄNGE: 500MM, Ø90MM (5 micron) ÉLÉMENT FILTRANT, LONGUEUR: 500MM, Ø90MM (5 microns)
	74IKP007	INSTEEL INSCHROEFKOPPELING, RECHT DRM 8,R 1/4"K INSERTION SCREW-IN COUPLING, RIGHT DRM 8,R 1/4"K EINFÜHR EINSCHRAUB KUPPLUNG, RECHTS DRM 8,R 1/4"K RACCORD À VIS À INSERTION DROITE DRM 8, R 1/4 "K
	A3P0000037	LUCHTLEIDING BESCHERMINGSPLAAT 2" AIRLINE PROTECTION PLATE 2" FLUGZEUGSCHUTZPLATTE 2" PLAQUE DE PROTECTION AIRLINE 2"
	A3P0002773	RVS BEUGEL;HOUDER DRUKAFLAAT;ACHTERKOP 2"MOF STAINLESS STEEL BRACKET;PRESSURE RELIEF HOLDER;BACK HEAD2"SOCKET EDELSTAHLHALTERUNG;DRUCKENTLASTUNGSHALTER;HINTERER KOPF2"MOF SUPPORT EN ACIER INOXYDABLE; SUPPORT DE DÉCHARGE DE PRESSION; TÊTE ARRIÈRE2"MOF

	Article	Description
	73KKR024	KOGELKRAAN MET HENDEL, NW20, G 3/4", P=400BAR
		BALL VALVE WITH HANDLE, NW20, G 3/4", P=400BAR
		KUGELVENTIL MIT GRIFF, NW20, G 3/4", P=400BAR
		VANNE À BOULE AVEC POIGNEE, NW20, G 3/4 ", P = 400BAR

Order Form

Order by Phone +32 89 73 98 93 (NL - EN - DE)
+32 89 73 98 97 (NL - FR - IT)

Order by E-mail Spareparts@lagservice.eu

Company stamp / Details

Article	Quantity	Description	Remarks
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			


Opmerkingen

We're also the right address for all repairing's / modifications and damage recoveries

TANK REFURBISHMENTS (SECOND LIFE) - with or without new chassis



PUMP UNIT / TIPPING CYLINDER BUILD IN AND REPAIR



DAMAGE REPAIR



Interested in our possibilities? Feel free and please contact us at: service@lag.be or call +32 89 46 91 32

All brands marks images and associated copyright and other intellectual property (including Part Numbers where relevant) are owned by LAG trailers, or the respective producers, owners, or distributors of other makes. No rights or licences are granted to any third party without the express prior written agreement of the owner. Any third party supplier/manufacturer Part Numbers are displayed for comparative purposes only, and are not a statement of origin or manufacture of the product available. This catalogue replaces all previous versions. In kind of mistakes and to be sure for the latest information always ask LAG for the latest version of this catalog. Every effort is made to ensure accuracy but LAG is not liable for any errors or omissions. Inclusion of any product or service is not an offer capable of acceptance, and any orders must be placed and accepted by LAG or any selling dealer on their standard terms of sale. LAG standard terms of sale apply to any use of or enquiry relating to this catalogue/on line publication, and are available on www.lag.be or www.lagservice.eu or your local LAG Dealer. Images are for illustrative purposes only and products available or supplied may vary in finish or other detail without affecting functionality. Sales are subject to the warranty and limitations applying to the product and relevant manufacturer/supplier. All products are subject to availability and the prevailing price at time of binding order.

BELGIUM

LAG Trailers N.V. - Bree

Kanaallaan 54 | 3960 Bree
spareparts@lagservice.eu
+32 89 73 98 93 (NL - EN - DE)
+32 89 73 98 97 (NL - FR - IT)

The Netherlands

Burg Trailer Service - Pijnacker

Katwijkerlaan 75 | 2641PD Pijnacker
magazijn@burgtrailerservice.nl
+31 (0)15 361 5410

Poland

LAG Service Poland - Poznan

Rabowicka 9 | 62-020 Jasin
marcin.labanowicz@lagservice.eu
+48 61 65 15 930